Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



INDEXED.

Price List

of the

American Nursery Company



70 East 45th Street New York

Business Terms

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. The charge for packing will be additional, at cost.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name and in good condition when shipped.

WE CAN GIVE NO GUARANTEE ON THE LIFE OF PLANTS, as we have no control over it after leaving our hands.

CLAIMS must be made within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

DISCOUNTS FOR QUANTITY

On certain plants we make, upon application, special prices for quantity. 10% on 10 and 20% on 100 from the each price.

	Example		
Cydonia japonica		Each	10 100
1½ to 2 ft		.50 4.5	50 40.00

Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

as been made in the neights given here.
ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful
Leaves silvery underneath—yellow autumn coloring. 8 to 10 ft., 1½ in \$1.75
10 to 11 ft., 1½ in 2.50 12 to 13 ft., 2 in 3.75
dasycarpum wieri. WIER CUTLEAF MAPLE. 60'-80' Graceful drooping.
8 to 10 ft., 1¼ in
negundo. Boxelder. 60' Especially good for dry barren places
8 to 10 ft., 1½ in 1.75 11 to 12 ft., 1¾ in 3.00
and seashore. Rapid grower. 8 to 10 ft., 1½ in 1.75 11 to 12 ft., 1¾ in 3.00 10 to 11 ft., 1½ in 2.25 12 to 13 ft., 2 in 4.00
platanoides. Norway Maple. 50'-75' The most popular street tree, retains leaves until late autumn, when they turn rich yellow
8 to 10 ft., 1½ in 4.00 11 to 12 ft., 1¾ in 5.50
8 to 10 ft., 1½ in 4.00 11 to 12 ft., 1¾ in 5.50 10 to 11 ft., 1½ in 4.50 12 to 13 ft., 2 in 6.50
platanoides schwedleri. Schwedler Purple Maple. 40'-60 Probably the best large growing purple leaf tree—useful lawn
tree. 6 to 8 ft
pennsylvanicum (striatum). STRIPED MAPLE. 20'-30' Green bark
striped with white. Thrives in wet soils. $3 \text{ to } 4 \text{ ft} \dots 1.25 \qquad 4 \text{ to } 5 \text{ ft} \dots 1.75$
rubrum. RED OR SCARLET MAPLE. 50'-75' Best in moist locations
also thrives in upland. Brilliant red autumn coloring.
8 to 10 ft., 1½ in 3.75 10 to 12 ft., 1½ in 4.50 13 to 14 ft., 2 in 6.50
saccharum. Sugar Maple. 50'-75' Most popular in northern
states. Best planted in spring—rich yellow autumn coloring
10 to 11 ft., 1½ in 3.25 12 to 13 ft., 1¾ in 5.25 11 to 12 ft., 1½ in 4.00 13 to 14 ft., 2 in 6.50
ESCULUS parviflora. (Pavia macrostachia.) Bottlebush Buck-
EYE. 6'-7' Handsome spreading shrub covered with panicles
of creamy flowers in July-August. Leaves similar to horse-chestnut.
18 to 24 in75 2 to 3 ft 1.00 3 to 4 ft 1.50
ALLANTHUS glandulosa. Tree-of-Heaven, 50'-60' Succeeds under most adverse city conditions—grows rapidly.
most adverse city conditions—grows rapidly. 4 to 6 ft 100 8 to 10 ft 1.75
4 to 6 ft. 1.00 8 to 10 ft. 1.75 6 to 8 ft. 1.25 10 to 12 ft. 2.50
MYGDALUS persica (Prunus). FLOWERING PEACH. 8'-10' Very
decorative double flowering form, blooms before leaves—red white.
2 to 3 ft
2 to 3 ft
BETULA alba. European White Birch. 30'-50' White bark.
BETULA alba. EUROPEAN WHITE BIRCH. 30'-50' White bark. 4 to 6 ft 1.25 6 to 8 ft 1.75 alba laciniata. WEEPING CUTLEAF BIRCH. 30'-40' Graceful tree
for lawn planting.
5 to 6 ft

BETULA alba pyramidalis. Pyramidal White Birch. 30'-40' Dense, columnar.
4 to 5 ft\$2.50 5 to 6 ft\$3.25
alba youngi. Youngs Weeping Birch. 30'-40' Spreading pendulous branches. Graceful lawn specimen.
lous branches. Graceful lawn specimen. 3 to 4 ft
lenta. Sweet Birch. 40'-60' Attractive smooth reddish bark and conspicuous catkins in spring.
conspicuous catkins in spring. 3 to 4 ft. 1.00 6 to 8 ft. 1.85 4 to 6 ft. 1.35 8 to 10 ft. 2.50
lutea. Yellow Birch. 50'-70' Makes fine windbreak—good foliage.
4 to 6 ft. 1.35 8 to 10 ft. 2.50 6 to 8 ft. 1.85 10 to 12 ft. 3.25
nigra. RIVER BIRCH 50'-60' Thrives in moist places. Its torn
ragged bark is unique—fine for naturalistic planting.
ragged bark is unique—fine for naturalistic planting. 3 to 4 ft.
papyrifera. Canoe Birch. 40'-50' Picturesque paper bark, very
4 to 6 ft. 1.35 8 to 10 ft. 2.50 6 to 8 ft. 1.75 10 to 12 ft. 3.75
populifolia. Gray Birch, 30'-40' Grows in poor and dry soil.
populifolia. Gray Birch. 30'-40' Grows in poor and dry soil. 6 to 8 ft 1.75 8 to 10 ft 2.50
CARPINUS caroliniana (americana). American Hornbeam. 30'-40'
Closely resembles the beech—smooth, blue-gray bark. 3 to 4 ft
CATALPA bungei. Umbrella Catalpa. 10'-15' Formal planting. Medium Heads
Extra Large Heads
speciosa. Western Catalpa. 30'-35' 8 to 10 ft 2.50 10 to 12 ft., 2¼ in 3.25
CEDRELA sinensis. CHINESE CEDRELA. 30'-40' Tropical effect—
CEDRELA sinensis. CHINESE CEDRELA. 30'-40' Tropical effect—clusters of white flowers. Will thrive in city. 2 to 3 ft
CELTIS occidentalis. HACKBERRY. 50'-60' Similar foliage and habit
as Elm. 4 to 5 ft
CERASUS. (See Prunus)
CERCIDIPHYLLUM japonicum. KATSURA-TREE. 60'-80' A magnifi-
cent tree. Beautiful spring and autumn colors. 4 to 5 ft
CERCIS. Judas-tree. (See Shrubs)
CLADRASTIS lutea (tinctoria). YELLOW-WOOD. 30'-40' Long panicles of fragrant white flowers in June. 4 to 5 ft
CORNUS florida. WHITE FLOWERING DOGWOOD. 15'-25' One of the best spring flowering trees—red berries in fall. 3 to 4 ft
florida pendula. Weeping Dogwood. 8'-10' Curious weeping
form. 3 to 4 ft
rubra. Red Flowering Dogwood. 15'-20' Flowers bright pink. 1½ to 2 ft. 1.30 3 to 4 ft. 2.75 2 to 2½ ft. 2.00 4 to 5 ft. 3.25 2½ to 3 ft. 2.50
2/2 00 0 10 2.00

CRATARGUS carrieri CARRIERE HAWTHORN 12'-15'
3 to 4 ft\$1.00 4 to 5 ft\$1.25
CRATAEGUS carrieri. CARRIERE HAWTHORN. 12'-15' 3 to 4 ft. \$1.00 4 to 5 ft. \$1.25 coccinea. THICKET HAWTHORN. 15'-20' Large scarlet fruits. 2 to 3 ft. 80 4 to 5 ft. 1.25 3 to 4 ft. 1.00 5 to 6 ft. 1.50
berries which persist nearly all winter. Brilliant autumn foliage. 3 to 4 ft
crusgalli. Cockspur Thorn. 15' Distinctive deep green shining leaves. Conspicuous white flowers. 3 to 4 ft
oxycantha (Monogyna). English Hawthorn. 12'-15' Single
white flowers. 18 to 24 in
CRATAEGUS Paul Scarlet. 12'-15' Double scarlet flowers. 4 to 5 ft
4 to 5 ft
FAGUS americana (ferruginea). AMERICAN BEECH. 75'-100' Distinctive silver-gray bark. Plant in early spring.
Plant in early spring. 2 to 3 ft. 1.30 4 to 5 ft. 2.50 3 to 4 ft. 1.85 6 to 7 ft. 3.25 sylvatica asplenifolia. FERNLEAF BEECH. 40'-50' A splendid com-
pact lawn tree with fem-like foliage. Clean gray bark. 2 to 3 ft 2.00 3 to 4 ft 2.75
FRAXINUS americana. WHITE ASH. 70'-80' Fairly rapid grower.
Assumes golden foliage in autumn. Good in moist and lime soils. Splendid street tree.
8 to 10 ft., 1¼ in 1.75 12 to 13 ft., 2 in 3.25 10 to 12 ft., 1¾ in 2.50 13 to 14 ft 2¼ in 4.50
GINKGO biloba (Salisburia). Maidenhair Tree. $50'-75'$ Picturesque and unusual. Leaves like maidenhair fern. Immune
from insects—thrives under city conditions.
8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75
GLEDITSIA triacanthos. Honeylocust. 60'-70' Thorny tree with
GLEDITSIA triacanthos. HONEYLOCUST. 60'-70'Thorny tree with fragrant white flowers in May. Good for gravelly soil.3 to 4 ft655 to 6 ft.1.254 to 5 ft806 to 8 ft.1.75
GYMNOCLADUS diocia. KENTUCKYCOFFEE TREE. 40'-50' Light
blue-green foliage of slow growth—long interesting seed pods. 3 to 4 ft
KOELREUTERIA paniculata. Golden Raintree. 25'-30' Bright yellow flowers in July—a valuable small tree of irregular outline.
3 to 4 ft80 4 to 6 ft 1.00 6 to 7 ft 1.35
LABURNUM vulgare. GOLDENCHAIN. 20'-25' Golden yellow flowers in June.
3 to 4 ft
LARIX europaea. European Larch. 50'-60' Especially good for spring effects. Grows rapidly into a symmetrical tree. 2 to 3 ft
laricina. AMERICAN LARCH. 40'-50' 2 to 3 ft
leptolepis. Japanese Larch. 50'-60' Long flat leaves, bright
orange in autumn. 3 to 4 ft
LIQUIDAMBAR styraciflua. Sweetgum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark
and star-shaped maple-like leaves—difficult to transplant.
5 to 6 ft. 2.75 8 to 10 ft. 4.50 6 to 8 ft. 3.25 10 to 12 ft. 5.25

LIRIODENDRON tulipifera. TULIPTREE. 60'-80' Quick grower, yellow tulip-like flowers in June—flat topped leaves yellow in
autumn. Prefers moist place. 6 to 8 ft\$1.75
MAGNOLIA glauca. Sweetbay. 15'-20' Fragrant creamy flowers in
2 ft., B. & B 1.75 2½ to 3 ft., B. & B 2.50 tripetala. Umbrella Magnolia. 30'-40' Very large leaves—flowers white in late spring. Seed pods are pink.
white in late spring. Seed pods are pink. 3 to 4 ft. 1.75 5 to 6 ft. 3.25 4 to 5 ft. 2.50 6 to 7 ft. 4.75
MALUS coronaria. WILD SWEET CRAB. 15'-20' Fragrant blush pink flowers in early spring—April.
flowers in early spring—April. 3 to 4 ft
4 to 5 ft 1.35 5 to 6 ft 1.75 floribunda atrosanguinea. CARMINE CRAB. 10'-15' Deep red flowering.
4 to 5 ft
3 to 4 ft 1.25 4½ to 5 ft 2.50 4 to 4½ ft 1.85 5 to 6 ft 2.75 scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting
flowers. 4 to 5 ft
MORUS alba pendula.WEEPING MULBERRY.8'-10'Medium Grade.2.50Extra
OXYDENDRUM arboreum. Sourwood. 25'-30' Graceful clusters of white flowers, Aug. Good leathery foliage, fine autumn color. 2 to 3 ft 1.00 3 to 4 ft 1.25 4 to 5 ft 1.50 PAULOWNIA imperialis. Royal Paulownia. 30'-40' Rapid grower,
PAULOWNIA imperialis. ROYAL PAULOWNIA. 30'-40' Rapid grower, large leaves, purple flowers. Not quitehardy in north. 4 to 6 ft 1.30 6 to 8 ft 2.00 8 to 10 ft 2.75
PLATANUS orientalis. European Planetree. 70'-80' A good tree for park and street use, quick grower, stands city conditions. 8 to 10 ft., 1½ in 2.50 11 to 12 ft., 1¾ in 4.50 10 to 11 ft., 1½ in 3.75 12 to 13 ft., 2 in 5.25
POPULUS alba. WHITE POPLAR. 60'-80' Rapid grower, attractive foliage with wooly-white under-surface—good seashore plant. 8 to 10 ft., 1¼ in 1.75 10 to 12 ft., 1½ in 2.00 balsamifera. Balsam Poplar. 60'-70' Has fragrant buds in spring.
Broad leaves, commendable,
10 to 11 ft., 1½ in 1.75 bolleana. Bolleana Poplar. 50′-60′ Leaves white underneath, similar columnar character to Lombardy poplar—gray bark. 6 to 8 ft 1.25 8 to 10 ft., 1 in 1.35 10 to 12 ft., 1½ in 2.00
8 to 10 ft., 1 in 1.35 10 to 12 ft., 1½ in 2.00 canescens. Gray Poplar. 30'-40' 10 to 12 ft., 1½ in 3.75 10 to 12 ft., 1¾ in 4.75
monilifera. Carolina Poplar. 75'-90' A rapid grower, succeeding even on dry places and near seashore.
8 to 10 ft., 1½ in70 12 to 14 ft., 1¾ in 1.75 11 to 12 ft., 1½ in 1.10 14 to 16 ft., 2 in 2.00 nigra italica. Lombardy Poplar. 60′-80′ Tall spire-like character.
is valued for screens and architectural effects. 6 to 8 ft

POPULUS simoni. SIMON POPLAR.
10 to 11 ft., 1¼ in
8 to 10 ft., 1½ in\$1.75 10 to 11 ft., 1¾ in 2.00
PRUNUS avium (Cerasus). FLOWERING CHERRY. 20'-25' Double white flowers.
4 to 5 ft 4.75 5 to 6 ft 7.25
Double Pink Japan Cherry 18'-20' 2 to 3 ft
New red. Double Red Japan Cherry. 18'-20'
4 to 5 ft
Pyramidal Form 4 to 5 ft., B. & B 4.50 6 to 7 ft., B. & B 8.75
5 to 6 ft., B. & B 6.50 Standard Form
1 year head, B. & B 3.75 2 year head, B. & B 5.75
pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of
purplish foliage. Should be pruned every year for best color effect.
2 to 3 ft
serotina. BLACK CHERRY. 25'-30' Lustrous deep green foliage. 4 to 6 ft
PTELEA trifoliata. HOPTREE. 10'-12' Clusters of hop-like fruits—
purplish-brown fall coloring. 3 to 4 ft
QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth.
6 to 8 ft 2.75 10 to 11 ft., 1¼ in 4.50 8 to 10 ft 3.75 11 to 12 ft., 1½ in 5.75
bicolor. Swamp White Oak 75'-90' Best in low damp places.
6 to 8 ft. 2.75 10 to 11 ft., 1¼ in 4.50 8 to 10 ft. 3.75 11 to 12 ft., 1½ in 5.75
coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves—succeeds in dry places. 6 to 8 ft
palustris. PIN OAK. 75'-90' Takes most kindly to cultivation, pre- fers moist soil but is very adaptable. Particularly fitting as a
street tree. Good autumn effects.
8 ft., 1¼ in 3.75 9 to 10 ft., 1¾ in 5.75 8 to 9 ft., 1½ in 4.50 10 to 12 ft., 2 in 6.75
rubra. Rep Oak. 75'-00' Comparatively quick growth, rich autumn
coloring in greens and reds—unfolding leaves are pink. 8 to 9 ft., 1¼ in 3.75 9 to 11 ft., 1¾ in 5.75 9 to 10 ft., 1½ in 4.50 10 to 12 ft., 2 in 6.75
ROBINIA pseudoacacia. Locust. 60'-80' Has fragrant white flowers in May. 6 to 8 ft
SALIX babylonica. Babylonian Weeping Willow. 50'-60' Par-
ticularly appropriate for waterside planting—long pendulus branches.
4 to 6 ft90 6 to 8 ft 1.15 8 to 10 ft 1.35
Chinese Form 4 to 6 ft80 6 to 8 ft 1.15 8 to 10 ft 1.35
babylonica aurea. Russian Golden Weeping Willow. 40'-50'
Golden-yellow bark—similar habit to preceding. 5 to 6 ft
6 to 7 ft 1.15 10 to 12 ft 2.00

SALIX blanda (dolorosa). Wisconsin Weeping Willow. 40'-50' Very hardy.
4 to 6 ft. \$.65 6 to 8 ft. 1.00 8 to 10 ft. 1.25
discolor. Pussy Willow. 15'-20' Desirable for spring effects—does well on dry or wet places.
2 to 3 ft \$.40 4 to 6 ft60 3 to 4 ft50 6 to 8 ft70
elegantissima. Thurlow Weeping Willow. 60'-70' Vigorous spreading. 4 to 6 ft
incana (rosmarinifolia). ROSEMARY WILLOW. 12'-15' Fine foliage effects—narrow leaves, silvery white beneath. 3 to 4 ft
pentandra. LAUREL WILLOW. 20'-30' Shining dark green leaves-
valuable for seashore planting. 3 to 4 ft
salamoni. SALAMON WEEPING WILLOW, 60'-70' The most vigor-
our of all "weeping willows." 6 to 8 ft80 8 to 10 ft
vitellina. Golden Willow. 25'-30' Valuable for winter effect, bright golden bark. Silky leaves, silvery underneath. 3 to 4 ft40 4 to 5 ft50 5 to 6 ft65
vitellina britzensis. Bronze Golden Willow. 20'-25' Particularly good when used with preceding variety—has reddish bronze bark.
2 to 3 ft
SOPHORA japonica. CHINESE SCHOLARTREE. 30'-40' White flowers in late summer.
2 to 3 ft. 1.00 4 to 6 ft. 1.75 3 to 4 ft. 1.35 6 to 8 ft. 2.00
SORBUS aucuparia. European Mountain-ash. 25'-30' Valuable lawn tree—orange scarlet berries.
4 to 5 ft. 1.25 6 to 8 ft. 2.00 5 to 6 ft. 1.35 8 to 10 ft. 2.75
TILIA americana. American Linden. 75'-90' Quick grower—open head. Fragrant yellow flowers.
10 to 11 ft., 134 in 4.00 12 to 13 ft., 214 in 6.00 11 to 12 ft., 2 in 5.25 13 to 14 ft., 21/2 in 7.25
tomentosa (argentea). SILVER LEAF LINDEN. 60'-70' Symmetrical and compact—leaves silvery gray underneath. 2 in
platyphyllos. European Bigleaf Linden. 60'-75' 9 to 10 ft., 1½ in 3.25 11 to 12 ft., 2 in 5.75 10 to 11 ft., 1¾ in 4.50 11 to 12 ft., 2¼ in 7.25
vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously, compact symmetrical tree. 10 to 12 ft., 1½ in 3.25 11 to 12 ft., 2 in 6.00 10 to 12 ft., 1¾ in 4.75 11 to 12 ft., 2¼ in 7.50
ULMUS americana. AMERICAN ELM. 80'-100' One of the most beautiful and stately native trees. 8 to 10 ft., 11/4 in 2.75 10 to 12 ft., 13/4 in 4.50
9 to 11 ft., 1½ in 3.75 11 to 12 ft., 2 in 6.00

Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence.

standard of excenence.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. 1½ to 2 ft. 5.75 2 to 2½ ft. 7.25 2½ to 3 ft. 8.00
tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. 3 to 4 ft
AMELANCHIER canadensis (botryapium). Downy Juneberry. 10'-12' White flowers before leaves. Fruits relished by birds. 2 to 3 ft65 3 to 4 ft80 4 to 5 ft90
AMORPHA fruticosa. Indigobush. 8'-10' Deep purple flowers
June, spreading. 2 to 3 ft 40 3 to 4 ft 50 4 to 5 ft 65
AMYGDALUS nana. Flowering Almond. $5'-6'$ Flowers double, May.
Pink and White
1½ to 2 ft
ARALIA pentaphylla. FIVELEAF ARALIA. 7'-8' Graceful arching habit. Greenish white flowers. Splendid for banks. Good green foliage. 2 to 3 ft40 3 to 4 ft55 4 to 5 ft70
spinosa. Devils-walkingstick. 18'-20' Useful for tropical effects.
White flowers, July—dark purple berries follow. 2 to 3 ft
ARONIA melanocarna (nigra). BLACK CHOKEBERRY 8'-10' Delicate
white flowers in May. Black berries persist until late.
1½ to 2 tt
white flowers in May. Black berries persist until late. 1½ to 2 ft
$1\frac{1}{2}$ to 2 ft65 2 to 3 ft80 3 to 4 ft 1.00
AZALEA arborescens. SWEET AZALEA. 10'-12' Fragrant white
flowers, June. 12 to 15 in., B. & B 1.75 15 to 18 in., B. & B 2.25
calendulacea (lutea). Flame Azalea. 8'-10' Flame-colored flowers
in early spring. 12 to 15 in., B. & B 1.75
kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May. 12 to 15 in., B. & B 2.50 15 to 18 in., B. & B 2.75
mollis. Chinese Azalea. 4'-6' Large showy orange and red
flowers. May–June. 12 to 15 in., B. & B 2.00 1½ ft., B. & B 3.25 15 to 18 in., B. & B 2.75
pontica. Pontic Azalea. 6'-8' Flowers of all shades, white to red. 12 to 15 in., B. & B 2.00 15 to 18 in., B. & B 2.75
rosea. Downy Azalea: 4'-5' Good bushy habit. Beautiful pink
flowers, May–June. Prefers semi-shady, moist place. 1½ to 2 ft., B. & B 2.75 2 to 2½ ft., B. & B 3.25

AZALEA viscosa. SWAMP AZALEA. 4'-5' White, very fragrant,
June–July. 12 to 15 in., B. & B\$1.75 15 to 18 in., B. & B\$2.50
yodogawa. Yodogawa Azalea. 3'-4' Double pinkish-lavender flowers, May. Quite hardy and of exceptional merit.
flowers, May. Quite hardy and of exceptional merit.
12 to 15 in., B. & B 2.00
BACCHARIS halimifolia. GROUNDSELBUSH. 0'-10' Conspicuous
fluffy seed pods in Sept. Good for seashore. Best in masses. 2 to 3 ft55 3 to 4 ft65 4 to 5 ft80
BENZOIN aestivale (Lindera Benzoin). Spicebush. 10'-12' Flowers
yellow, April—scarlet berries—leaves aromatic. 18 to 24 in
BERBERIS thunbergi minor. Box Barberry. 2'-3' A dwarf form
of Japanese Barberry. Fruits sparingly. Fine for dwarf clipped
hedges.
Each Per 10 Per 100 10 to 12 in
18 to 24 in
18 to 24 in .65 5.60 2 ft .80 7.00 amurensis japonica. HAKODATE BARBERRY. 5'-6' Brilliant orange
and scarlet in autunm. Withstands drought well.
12 to 15 in50 18 to 24 in55 2 ft
thunbergi. JAPANESE BARBERRY. 4'-5' A splendid low hedge plant
or for massing. Brilliant autumn coloring, scarlet berries. Each Per 10 Per 100 Per 1000
12 to 15 in
15 to 18 in40 3.25 25.00 190.00 18 to 24 in50 4.00 35.00 256.00
18 to 24 in
2 to 2 ½ tt
2 to 2½ ft
12 in 1.75 15 in 2.00 18 in 2.75 vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fruit red, persisting to midwinter. Vigorous, upright habit.
Fruit red, persisting to midwinter. Vigorous, upright habit.
1½ to 2 it
2 to 3 ft
vulgaris purpurea. Purple Barberry. 7'-8' Has pleasing soft
3 to 4 ft
18 to 24 in
BUDDLEIA veitchi. Butterflybush 5'-6' Very effective—gray-
green foliage and deep lilac flowers. Likes sun. June—Sept. 18 to 24 in35 2 to 3 ft40 3 to 4 ft50
CALLICARPA purpurea. CHINESE BEAUTYBERRY. 3'-4' Especially
CALLICARPA purpurea. CHINESE BEAUTYBERRY. 3'-4' Especially attractive in August with its lilac-violet berries. Graceful habit.
15 to 18 in
CALYCANTHUS floridus. COMMON SWEETSHRUB. 4'-5' Reddish-
brown flowers, June-Sept., spicy fragrance. 18 to 24 in
CARAGANA arborescens. SIBERIAN PEA-TREE. 10'-12' Yellow pea-
shaped flowers, May–June. Does best in well-drained place. 2 to 3 ft
CARYOPTERIS incana (mastacanthus). Bluebeard. 2'-3' Lavender-
blue flowers, Sept.—Oct. Splendid for massing. Requires protection in winter.
12 to 15 in., 1 yr
CEPHALANTHUS occidentalis. BUTTONBUSH. 5'-6' Round heads of
creamy-white flowers, July-Sept. Good foliage.
18 to 24 in35 2 to 3 ft40 3 to 4 ft50

CERCIS canadensis. AMERICAN REDBUD. 12'-15' Rosy-pink, April. Very effective when planted with dogwood. Good foliage.
2 to 3 ft\$.65 3 to 4 ft\$.90 4 to 5 ft\$1.10 japonica. Chinese Redbud. 10'-12' Flowers larger and darker than preceding—succeeds best in rather moist soil.
15 to 18 in55 2 to 2½ ft 1.00 18 to 24 in65 2½ to 3 ft 1.25
CHIONANTHUS virginica. WHITE FRINGETREE. 15'-18' Fragrant tassel-like white flowers, May-June. Blue-black fruits. 1½ to 2 ft. .90 3 to 4 ft. 1.30 2 to 3 ft. 1.10 4 to 5 ft. 1.75
CLETHRA alnifolia. Summersweet. 4'-5' Spikes of fragrant white flowers, July-Sept. Prefers moist, shady places—good for massing.
18 to 24 in
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored.
2 to 3 ft
CORNUS alba (sibirica). CORAL DOGWOOD. 8'-10' Bright red bark, blue fruits—quick grower, useful for winter effect. White flowers. 2 to 3 ft
green leaves. White flowers. 1½ to 2 ft50 2 to 3 ft65 3 to 4 ft70 alba spaethi. Spaeth Dogwood. 6'-8' Leaves margined yellow.
White flowers. 18 to 24 in
2 to 3 ft
2 to 3 ft
in May, followed by white fruits on red stems—likes moisture. 1½ to 2 ft
stolonifera. Red-osier Dogwood. 7'-8' Spreading, red bark, white fruits. White flowers.
2 to 3 ft
2 to 3 ft
CORYLUS americana. HAZELNUT. 8'-9' Useful for natural plantings. 2 to 3 ft1.25 3 to 4 ft1.75 4 to 5 ft2.75 CYDONIA japonica. FLOWERING QUINCE. 4'-5' Scarlet flowers in
April-May. 15 to 18 in
DESMODIUM. (See Lespedeza)
DEUTZIA gracilis. SLENDER DEUTZIA. 3 ¹ Profuse bloomer, white flowers, May.
12 to 15 in
graceful. 15 to 18 in50 2 to 2½ ft70 1½ to 2 ft60 2½ to 3 ft90

DEUTZIA magnifica. 6'-8' Large tassel-like flowers, June. Vigorous.
2 to 3 ft\$.50 3 to 4 ft\$.70 4 to 5 ft\$.90 parviflora. Mongolian Deutzia. 3' Erect habit, white, June. 15 to 18 in40 18 to 24 in50 2 to 2½ ft60 scabra. Pride of Rochester. 9'-10' Vigorous large flower tinged
scabra. Pride of Rochester. 9'-10' Vigorous large flower tinged pink—June.
scabra candidissima. Snowflake Deutzia. 9'-10' Graceful habit, double white, June. Grows vigorously—one of the best.
scabra crenata, fl. pl. DOUBLE PINK DEUTZIA. 6'-8' Pink, slightly fragrant, June. Prices of above.
1½ to 2 ft
DIERVILLA trifida. DWARF BUSH-HONEYSUCKLE. 3' Yellow, June-
July. A good low shrub for shady places. 12 to 15 in40 15 to 18 in50 18 to 24 in60 sessilifolia (lutea). Southern Bush-honeysuckle. 4'-5' Yellow, more vigorous than preceding, June–July.
2 to 3 ft
ELAEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and branchlets, orange berries. Good for massing—prefers sun.
2 to 3 ft
stone soils. 18 to 24 in
bark, Warm crimson autumn coloring, makes fine specimen shrub.
18 to 24 in65 2 to 2½ ft80 2½ to 3 ft 1.00 americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist places.
1½ to 2 ft
2 to 3 ft
2 to 3 ft
ers, May. Is improved by annual pruning—prefers a moist soil. 2 to 3 ft 65 3 to 4 ft 70 4 to 5 ft 85
FORSYTHIA intermedia. BORDER GOLDENBELL. 6'-8' Bright yellow flowers in April before leaves unfold—profuse and beautiful.
2 to 3 ft
2 to 3 ft
2 to 3 ft
suspensa fortunei. FORTUNE GOLDENBELL. 7'-8' Good habit, arching branches, vigorous growth. Invaluable for shrubbery border. 2 to 3 ft
viridissima. Greenstem Forsythia. 7'-8' Most vigorous. Has green bark—thick, dark green leaves. Last to flower. 2 to 3 ft
GENISTA tinctoria. Woadwaxen. 3' Yellow pea-shaped flower—
June. 1 to 1½ ft

HALESIA tetraptera. Great Silverbell. 12'-15' Snow-white bell-shaped flowers in May. 2 to 3 ft \$.70 3 to 4 ft \$.90 4 to 5 ft \$1.15
2 to 3 tt\$.70 \$ to 4 tt\$.50 4 to 5 tt\$1.15
HAMAMELIS virginiana. WITCH-HAZEL. 10'-12' Yellow ribbon-like flowers, OctNov. Good foliage, best in moist, half-shady places.
18 to 24 in 50 2 to 3 ft 65 3 to 4 ft 80
HIBISCUS syriacus (althea). Rose of Sharon. 10'-12' Rather
formal in outline, flowering in August. Pink, purple, red and white, single and double. Amplissima. Double red. Joan of Arc. Double white. Coerulea. Double purplish blue. Lady Stanley. Double pink. De la Vaux. Double red. Sieboldi. Double pink. Elegantissima. Double pink. Totus albus. Single white. 18 to 24 in
HYDRANGEA arborescens. SMOOTH HYDRANGEA. 4'-5' White,
Tune-Iuly.
18 to 24 in
18 to 24 in 50 2 to 3 ft 70 3 to 4 ft 85
white flowers, June–July. 18 to 24 in 50 2 to 3 ft 70 3 to 4 ft
underneath, flowers white, June-July. Pleasing fresh green
ionage.
1½ to 2 ft
leaf Splendid autumn coloring—succeeds in shade
12 to 15 in 80 15 to 18 in 70 18 to 24 in 1.00
quercifolia. OAKLEAF HYDRANGEA. 3'-4' Leaves shaped like an oak leaf. Splendid autumn coloring—succeeds in shade. 12 to 15 in80 15 to 18 in70 18 to 24 in 1.00 paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of
1½ to 2 ft
paniculata grandiflora. Pegee. 8'-9' Very showy, blooms August.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Winter Howers, August. A graceful, desirable strub.
Medium 3 to 4 ft 125 Extra 4 to 5 ft 175
First class, 3 to 4 ft 1.50
HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow, July-Aug., blue-green foliage, dense habit, good for margin of
shrubbery.
18 to 24 in
kalmianum. Kalm St. Johnswort. 4'-5' Blue-green leaves glau-
18 to 24 in
2 to 3 ft
Dainty, half-herbaceous splendid mass plant.
2 vr 12 in 50
prolificum. Shrubby St. Johnswort. 2½'-3' A dense shrub—yel-
low flowers profusely borne in July-Sept. Good for rocky soils.
2 yr., 12 in
ILEX verticillata (prinos). WINTERBERRY, 6'-8' Bright red berries
persisting to mid-winter—not eaten by birds. Prefers moist
soil
15 to 18 in50 2 to 2½ ft70 1½ to 2 ft60 2½ to 3 ft80
ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers, July. Good for low places—brilliant autumn coloring.
July. Good for low places—brilliant autumn coloring.
18 to 24 in50 2 to $2\frac{1}{2}$ ft60 $2\frac{1}{2}$ to 3 ft70

JASMINUM humile. ITALIAN JASMINE. 3' Yellow flowers. 1½ to 2 ft. \$.50 2 to 2½ ft. \$.60 nudiflorum. WINTER JASMINE. 3' Yellow, April—May. 18 to 24 in. .50 2 to 2½ ft. .60
KERRIA japonica. Japanese Kerria. 4'-5' Golden yellow, June—Sept. Green branches useful for winter effects—graceful habit. 15 to 18 in
18 to 24 in
LESPEDEZA bicolor. BUSHCLOVER. 5'-6' Rose and white flower—July. Slender graceful shrub—attractive clover-like foliage. 18 to 24 in50 2 to 3 ft
LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen, very hardy.
Each Per 10 Per 100 Each Per 10 Per 100 18 to 24 in25 1.60 13.00 3 to 4 ft40 3.25 24.00 2 to 3 ft35 2.50 16.00 4 ft50 4.00 32.00 ibota, Ibota Privet, o'-ro' Good dense habit, flowers and fruits
freely. Decorative black berries—very hardy. 18 to 24 in35
a splendid low dense hedge—also good in shrubbery or ever-
green plantings. 18 to 24 in40 3.25 24.00 2½ to 3 ft65 5.50 42.00 2 to 2½ ft50 4.00 32.00
Lodense. DWARF PRIVET. 2½' Compact dwarf form for hedgings.
ovalifolium. California Privet. g'-10' Most popular hedge plant. Per 10 Per 100 Per 1000 Per 10 Per 10 Per 100 Per 1000
12 to 18 in.1.00 5.75 40.00 3 to 4 ft.2.50 12.75 110.00 1½ to 2 ft1.30 6.50 57.50 4 ft3.50 24.00 210.00 2 to 3 ft1.75 10.00 80.00 ovalifolium. Globe Form—Sheared.
ovalifolium. Globe Form—Sheared. 10 in. diam
ovalifolium. Pyramidal Form—Sheared.
Medium, 2 ft
ovalifolium aureum. Golden Privet. 8'-9' Grows rather slowly.
1 yr., 12 in. head, first class
vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.
1½ to 2 ft35 2.50 16.00 3 to 4 ft50 4.00 32.00 2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00
LONICERA alberti. Albert Honeysuckle. 2' Rose-pink fragrant flowers, May-June—bluish-green leaves, red berries.
15 in
Each Per 10 Per 100 Each Per 10 Per 100 2 to 3 ft 40 3.25 24.00 4 to 5 ft 60 5.00 40.00
3 to 4 ft50 4.00 32.00 fragrantissima. Winter Honeysuckle. 6'-8' Fragrant white flower, April-May. Half-evergreen—graceful semi-drooping
habit. 2 to 3 ft50 4.00 32.00 4 to 5 ft70 6.00 50.00 3 to 4 ft60 5.00 40.00

LONICERA maacki. Amur Honeysuckle. 8'-9' Large white flowers, June. scarlet berries persisting until midwinter.		
Each Per 10 Per 100 Each Per 10 Per 100 2 to 3 ft \$ 40 \$3 25 \$29 00 4 to 5 ft \$ 60 \$5 50 \$50 00		
3 to 4 ft50 4.25 35.00		
3 to 4 ft50 4.25 35.00 maacki podocarpa. Late Honeysuckle. 8'-9' Smaller pinkish flowers, better fruit than preceding, holds leaves longer. 2 to 3 ft		
morrowi. Morrow Honeysuckle. 7'-8' Spreading habit, white, May-June. Red fruits, good foliage. Most desirable. 2 to 3 ft		
nowers, rune. Derries red or orange.		
2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 standishi. Standishi Honeysuckle. 4'-5' Blush flowers, fragrant—April. Scarlet fruits, holds foliage well.		
18 to 24 in		
Flowers and fruit freely produced. A most adaptable shrub. 2 to 3 ft		
MYRICA cerifera. Southern Waxmyrtle. 4'-5' Does well in poor soil. Persisting gray berries.		
12 to 15 in		
PAVIA macrostachya. (See Aesculus—trees)		
PHILADELPHIIS avalanche AVALANCHE MOCKORANCE 2'-1'		
PHILADELPHUS avalanche. Avalanche Mockorange. 3'-4' Graceful, arching habit. Blooms profusely. White flowers. 18 to 24 in40 2 to 3 ft50 3 to 4 ft60 Bouquet blanc. White Bouquetmock Orange. 3' Low dense habit. Blooms freely, May-June. Small leaves. White flowers. 18 to 24 in45 2 to 2½ ft55 3 to 4 ft70 coronarius. Sweet Mockorange. 9'-10' White fragrant flowers,		
May-June. 2 to 3 ft		
PHILADELPHUS coronarius aureus. Golden Leaf Mockorange.		
4'-5' Dwarf compact form—yellow leaves. 12 to 15 in \$.50 18 to 24 in \$.70		
12 to 15 in \$.50		
White flowers.		
2 to 3 ft		
in Iune-Iuly. Slightly fragrant—blooms freely.		
2 to 3 ft		
double white flowers sweetly scented—slender arching, branches.		
18 to 24 in		
nivalis. Snowbank Mockorange. 4'-5' White flowers.		
nivalis. Snowbank Mockorange. 4'-5' White flowers. 2 to 3 ft 40 3 to 4 ft 50 4 to 5 ft 65 pubescens. Hoary Mockorange. 12'-15' Large white scentless flowers.		
2 to 3 ft		
2 to 2½ ft		
PHOTINIA villosa. RED BERRIED PHOTINIA. 8'-9' Flowers white, June, rich scarlet berries. Splendid foliage. 2 to 3 ft		
2 to 3 ft		

PIERIS mariana. Staggerbush. 5'-6' Waxy white flowers, May-June.
18 to 24 in\$.65 2 to 2½ ft\$.80
PONTENTILLA fructicosa. Shrubby Cinquefoil. 3'-4' Blooms
profusely, yellow, June–Sept. A very useful shrub. 18 to 24 in
PRUNUS maritima. BEACH PLUM. 9'-10' Small white flowers, April. Purple fruits—splendid subject for sandy soil or near seashore.
3 to 4 ft
tomentosa. NANKING CHERRY. 6'-7' Fruits light red, flowers white before leaves appear. A splendid shrub. 2 to 3 ft
PRUNUS triloba plena. Double Flowering Plum. 7'-8' Double pink flowers, April-May. Handsome and useful 2 to 3.ft
PYRUS arbutifolia. (See Aronia)
PHAMNUS caroliniana
2 to 3 ft
2 to 3 ft
2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 frangula. Glossy Bucktarak. 8'-9' Berries red, changing to black.
2 to 3 it 40 3 to 4 it 30 4 to 3 it03
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh green foliage, white flowers, May-June—black berries all winter. 18 to 24 in
white howers, May-June—black berries all winter. 18 to 24 in 65 2 to 3 ft 75 3 to 4 ft 1.00
RHUS canadensis (aromatica). FRAGRANT SUMAC. 4'-5' Clusters of
RHUS canadensis (aromatica). Fragrant Sumac. 4'-5' Clusters of small yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic
follage
18 to 24 in
autumn coloring. Showy in poor arid situations—good for
massing. 12 to 18 in
18 to 24 in 40 3 to 4 ft 60
cotinus. SMOKE TREE. 10'-12' 18 to 24 in
18 to 24 in 80 3 to 4 ft 1.25 2 to 3 ft 1.00 4 to 5 ft 1.60 glabra. SMOOTH SUMAC. 10'-12' Crimson fruits in bunches—rich
autumn coloring. Thrives in poor soils.
2 to 3 ft
leaves—grows slowly. Striking crimson autumn coloring.
leaves—grows slowly. Striking crimson autumn coloring. 18 to 24 in
autumn effect. Useful for park and general landscape planting. 2 to 3 ft
typhina laciniata. Cutleaf Staghorn Sumac. 14'-15' Leaves
finely cut giving attractive feathery appearance. Brilliant in autumn.
2 to 3 ft
RIBES odoratum. GOLDEN CURRANT. 7'-8' Fragrant yellow flowers in May. Useful for under planting.
$2 \text{ to } 3 \text{ ft.} \dots .50 3 \text{ to } 4 \text{ ft.} \dots .60 4 \text{ to } 5 \text{ ft.} \dots .75$
ROBINIA hispida. Rose Acacia. 5'-6' Attractive rosy pink flowers. May-June. Soon develops into a mass. Good for dry banks. 18 to 24 in50 2 to 3 ft60 3 to 4 ft75
18 to 24 in 50 2 to 3 ft 60 3 to 4 ft

THE TOTAL TOTAL CO.
ROSA blanda. Meadow Rose. 4'-5' Pink, May. Almost thornless red bark.
humilie Pastupe Pose 2'-4' Dink Moy-June
trails Tastuke Rose, 3-4 Tink, May-June,
lucida. VIRGINIA ROSE. 5 -0 Pink, June. Red decorative fruits.
humilis. PASTURE ROSE. 3'-4' Pink, May-June. lucida. VIRGINIA ROSE. 5'-6' Pink, June. Red decorative fruits. multiflora. JAPANESE ROSE. 9'-10' White, June. Vigorous, free
nitida. Bristly Rose. 3'-4' Deep pink, June. Good for holding
banks and general mass planting—good autumn coloring
palustris (cacolina). Swamp Rose 6'-7' Pink May-July
palustris (carolina). Swamp Rose. 6'-7' Pink, May-July. rubiginosa. Sweet Briar. 5'-6' Bright pink flowers, June. Good
foliage with aromatic odor.
withifelia (formula de la
rubrifolia (ferruginea). REDLEAF ROSE. 5'-6' Has distinct purplish-
red leaves and bark—good winter subject. Prices of above.
12 to 15 in\$.35 1½ to 2 ft\$.50 15 to 18 in
15 to 18 in
rosa hugonis. Father Hugo's Rose.
2 yr
rugosa. Red Rugosa Rose. 4'-5' Handsome shrub, large pink
flowers. June-Sept. Rich green foliage and large red fruits-
useful either in shrubbery border or as hedge.
11/2 to 2 ft 40 3 to 4 ft 60
9 +0 2 ft 50 4 ft 75
rurage alba Wyymp Dygoga Doop 4/ 4/
1½ to 2 ft
18 to 24 in
vigorous.
18 to 24 in 40 2 to 3 ft 50 3 to 4 ft 60 spinosissima. Scotch Rose. 3'-4' A dainty grower but compact—
spinosissima. Scotch Rose. 3'-4' A dainty grower but compact—
branches covered with soft thorns—has attractive small foliage.
12 to 15 in 50 15 to 18 in 60 18 to 24 in
wichuraiana. Wichurian Rose. White. Particularly useful for
covering banks or boulders.
1½ to 2 ft
1/2 to 2 10 10 2 to 0 10 100 0 to 110 1.00
RUBUS odoratus. Flowering Raspberry. 5'-6' Rose colored
fragrant flower produced all summer—good for covering shady
banks.
2 to 3 ft
SAMBUCUS canadensis. AMERICAN ELDER. 8'-9' Fine for swampy
places. Fragrant flowers, June-July, black fruits enjoyed by
binds
birds.
1½ to 2 ft
2 to 3 it
2 to 3 ft
finely cut.
2 to 3 ft
canadensis aurea. Golden Elder. 10'-12' Conspicuous yellow
foliage.
2 to 2 ft 50 2 to 4 ft 60
2 to 3 ft
pubens. Scarlet Elder. 7'-8' Flowers in April-May. Bright red
truits ripen in lune—very attractive.
$2 \text{ to } 3 \text{ ft.} \dots50 3 \text{ to } 4 \text{ ft.} \dots60 4 \text{ to } 5 \text{ ft.} \dots70$
racemosa. European Red Elder. 7'-8' Bright red berries.
racemosa. European Red Elder. 7'-8' Bright red berries. 2 to 3 ft50 3 to 4 ft60 4 to 5 ft70
SORBARIA aitchisoni. Kashmir False-spirea. 4'-5' Graceful, compound foliage—flowers creamy white, July—Sept. 2 to 3 ft
compound foliage—flowers creamy white. Iuly—Sept.
2 to 3 ft
arborea glabrata. Smooth False-spirea. 10'-12'
4 ft
sorbifolia. URAL FALSE-SPIREA. 4'-5' Fluffy heads of white flowers,
Time-Airg.
2 to 3 ft

SPIREA arguta. GARLAND SPIREA. 5'-6' Small light green leaves—
SPIREA arguta. Garland Spirea. 5'-6' Small light green leaves— very free flowering, May. More vigorous than Thunbergi. 12 to 15 in\$.35 billardi. BILLARD SPIREA. 5'-6' Bright pink fluffy flower spikes,
billardi. Billard Spirea. 5'-0' Bright pink fluffy flower spikes,
July-Oct, Valuable for dry places. 18 to 24 in35 2 to 3 ft45 3 to 4 ft55 bumalda. Bumalda Spirea. 3' Light pink flower, July-Sept. A
good "taging" shriib
18 to 24 in60 2 to 2½ ft70 bumalda Anthony Waterer. WATERER SPIREA. 3' Deeper rose-pink
than preceding—free flowering all summer. 12 to 15 in
than preceding—free flowering all summer. 12 to 15 in
bumalda froebeli. FROEBEL SPIREA. 4' Similar, but more vigorous
18 to 24 in
leaves red.
2 to 2½ ft
Purplish-green foliage when young. Blooms freely.
Purplish-green foliage when young. Blooms freely. 12 to 15 in
good dark green leaves persisting till late fall.
18 to 24 in50 2 to 3 ft60 3 to 4 ft75 opulifolia. NINEBARK. 9'-10' Creamy white, June. Vigorous, good
for shade.
1½ to 2 ft
opulifolia aurea. Goldleaf Ninebark. 9'-10' 2 to 3 ft
prunifolia. Bridalwreath. 7'-8' White, May. Free flowering—dark green foliage, orange in autumn.
dark green foliage, orange in autumn. 1½ to 2 ft50 2 to 3 ft60 3 to 4 ft70
reevesiana. Reeves Spirea. 7'-8' Pure white, May-June. Graceful arching habit—retains leaves till late.
$1\frac{1}{2}$ to 2 ft40 2 to 3 ft50 3 to 4 ft65
thunbergi. Thunberg Spirea. 4'-5' Slender arching branches clothed with pure-white flowers, April-May. Small feathery
light green leaves. Valuable for seaside planting. 12 to 18 in40 18 to 24 in50 2 to 2½ ft60
tomentosa. Hardhack. 3'-4' Woolly rose-pink flowers, July-Sept. Leaves brownish underside—good in masses for low
Sept. Leaves brownish underside—good in masses for low ground.
18 to 24
Graceful habit—free flowering—very adaptable.
Graceful habit—free flowering—very adaptable. 1½ to 2 ft
STAPHYLEA colchica. Colchis Bladdernut. 10'-12' Flowers
STAPHYLEA colchica. ColcHis Bladdernut. 10'-12' Flowers white, May-June. Fragrant—decorative seed pods. 2 to 3 ft
STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Graceful compact habit—handsome foliage, similar to small maple-leaf. 18 to 24 in 50 2 to 2½ ft 60 2½ to 3 ft 70
STYRAX japonica. JAPANESE STORAX. 12'-15' White bell-shaped pendant flowers. June-July. Makes a handsome specimen.
pendant flowers, June–July. Makes a handsome specimen. 18 to 24 in
2 to 3 ft

white berries, attractive foliage—best in moist half shade. 18 to 24 in\$.40 2 to 3 _x ft\$.50 3 to 4 ft\$.60
vulgaris. Coral berries persisting throughout winter—for shady dry
spots. 18 to 24 in
SYRINGA chinensis (rothomagensis). CHINESE LILAC. 8'-9' Slender branches, graceful. Violet flowers in May—free flowering. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft
chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple
flowers. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft
18 to 24 in
good deep green rough foliage.
18 to 24 in
Handsome foliage until late autumn. Grows quickly. 3 ft
persica. Persian Lilac. g'-10' Blooms freely—purple, May-June. 18 to 24 in50 2 to 3 ft65 3 to 4 ft80
persica alba. White Persian Lilac. 9'-10' 18 to 24 in
villosa. LATE LILAC. 7'-8' Pale-lilac, June. Fragrant—compact.
18 to 24 in
vulgaris alba. Common White Lilac. 10'-12' 18 to 24 in 50 2 to 3 ft 60 3 to 4 ft
HYBRID LILACS Alphonse Lavalle. Double light purple. (own roots) Charles the Tenth. Reddish purple, single. (own roots) Michel Buchner. Double lilac. (own roots) Marie LeGraye. Single white. (own roots) Mme. Lemoine. Double white. (own roots) Mme. Casimir Perrier. Double white. (own roots) President Grevy. Double blue. (own roots) Rubra DeMarly. Single, light blue. (own roots) Ludwig Spaeth. Single, reddish purple. (own roots) Wm. Robinson. Double, violet pink. (own roots) Prices of all Hybrid Lilacs 1½ to 2 ft
Feathery gray-green foliage. Effective near water—thrives at seashore
2 to 3 ft50 3 to 4 ft60 4 to 5 ft75
gallica. French Tamarix. 8'-9' Lt. pink, May-July; blue-green foliage.
2 to 3 ft
flowers late. 2 to 3 ft
VACCINIUM corymbosum. Highbush Blueberry. 5'-6' 1½ to 2 ft

10 MMERION NORDERT CO.
VIBURNUM acerifolium. MAPLE LEAF VIBURNUM. 4'-5' White, May-June. Black fruits—leaves turn beautiful pastel shades in
autumn—good for dry shady places. 18 in\$.50 2 ft\$.60 3 ft\$.70 americanum (oxycoco). American Cranberrybush. 8'-9' White,
Bright scarlet berries persisting all winter.
18 to 24 in
18 to 24 in
massing. 18 to 24 in
dentatum. Arrowwood. 10'-12' White, May-June. Berries blueblack, autumn coloring purple and red—thrives in wet soil. 2 to 3 ft
dilatatum. Linden Viburnum. 8'-9' White, May-June. Persis-
18 to 24 in
lantana. WAYFARING TREE. 15'-18' White, May-June. Handsome
18 to 24 in
lantana rugosum. Wrinkle Leaf Wayfaring-tree. 15'-18'
lantana rugosum. WRINKLE LEAF WAYFARING-TREE. 15'-18' White. Has larger and more wrinkled leaves than preceding. 18 to 24 in
lentago. Nannyberry. 18'-20' White, May-June. Handsome shining leaves. Blue-black fruits. Splendid for massing.
lentago. Nannyberry. 18'-20' White, May-June. Handsome shining leaves. Blue-black fruits. Splendid for massing. 18 to 24 in55 3 to 4 ft80 2 to 3 ft65 4 to 5 ft1.00
molle. Kentucky Viburnum. 10'-12' Larger, darker green leaves, otherwise similar to "dentatum."
1½ to 2 ft
opulus. European Cranberry. 9'-10' Similar to American Cranberry but has smaller leaves and fruit. 1½ to 2 ft
opulus sterile. Common Snowball. 9'-10' Has showy round head of white flowers, May-June. No fruits. 1½ to 2 ft
pubescens. Downy Viburnum. 8'-10'
18 to 24 in
Blue-black glaucous berries. Sturdy habit. Handsome shrub. 18 to 24 in
sieboldi. Siebold Viburnum. 0'-10' White, May-June. Berries pink, changing to black. Handsome large dark green leaves. 18 to 24 in50 2 to 3 ft65 3 to 4 ft80
tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white flowers, June. Berries red to black. Good foliage. 2 to 3 ft80
tomentosum plicatum. JAPANESE SNOWBALL, 7'-8' Showy white
flowers in balls, June. Handsome foliage, purple in autumn. 15 to 18 in
2 to 2½ ft
VITEX agnus-castus. Lilac Chaste-tree. 4'-5' Dainty shrub—lilac flowers, Aug.—Sept. Gray-green star-shaped leaves—prefers sun. 18 to 24 in35 2 to 3 ft45 3 to 4 ft55
WEIGELA Avel carriere. CARRIER WEIGELA. 8'-9' Red, yellow throat, June.
2 to 3 ft

Ŋ	VEIGELA amabilis. Rose Weigela. 7'-8' Light Pink.			
	1½ to 2 ft\$.40 2 to 3 ft50 3 to 4 ft\$.60 4 to 5 ft75			
	2 to 3 ft50 4 to 5 ft75			
	candida. Snow Weigela. 7'-8' Large pure white flowers. 2 to 3 ft			
	$2 \text{ to } 3 \text{ ft.} \dots .55 3 \text{ to } 4 \text{ ft.} \dots .65 4 \text{ to } 5 \text{ ft.} \dots .75$			
	Desbois. Desbois Weigela. 6'-7' Deep rose—flowers profusely.			
	2 to 3 ft			
	Eva Rathke. RED FLOWERING WEIGELA. 4'-5' Carmine, June-			
	Aug. Most floriferous.			
	$1\frac{1}{2}$ to 2 ft65 2 to $2\frac{1}{2}$ ft75 $2\frac{1}{2}$ to 3 ft85			
	floribunda. CRIMSON WEIGELA. 7'-8' Crimson, June. Free			
	flowering.			
	2 to 3 ft			
	Lavalle. Lavalle Weigela. 7'-8' Bright Crimson.			
	2 to 3 ft			
	nana variegata. Dwarf Variegated Weigela. 4'-5' Pale pink flower, variegated leaves.			
	18 to 24 in 50 3 to 4 ft			
	18 to 24 in			
	rosea. PINK WEIGELA. 7'-8' Abundant pink flowers. June			
	Vigorous grower.			
	$1\frac{1}{2}$ to 2 ft			
	steltzneri. Steltzner Weigela. 6'-7' Dark rose-very profuse.			
	1½ to 2 ft			
	Vanhoutte. VANHOUTTE WEIGELA. 7'-8' Carmine.			
	2 to 3 ft			
Z	ZANTHORHIZA apiifolia. YELLOWROOT. 2'-3' Good ground cover-			
_	will succeed on dry sandy soil, banks, etc.			
	12 to 15 in			

Bush Roses

Each \$.85 Per 10 \$7.25 Per 100 \$65.00

Amelie de Grieff, light pink. Augustus Hartman, red. Betty, yellowish pink. Columbia, dark pink. Constance, yellow. Crimson Queen, red. Dora Hansen, lt. pink. Duchess of Wellington, yel. Etoile de France, red. Florence Pemberton, lt. pink. Gen. McArthur, red. George C. Waud, red. Gruss an Teplitz, red. Gustav Grunevald, dark pink. Harry Kirk, yellow. Hoosier Beauty, red. H. V. Machin, red.
Jonkheer J. L. Mock, dk. pink.
Kaiserine A. Victoria, white.
Killarney Queen, dark pink.
Lady Alice Stanley, dk. pink. La Detroit, pink. Lady Hillingdon, yellow. Lady Pirrie, yellow shaded pink. Lady Ursula, lt. pink. La Tosca, lt. pink.

Los Angeles, yellow shaded pink. Louis Catherine Breslau, yellow shaded pink. Mad. Butterfly, lt. pink. Mad. C. Testout, dark pink. Mad. Edmee Metz, lt. pink. Mad. E. Herriot, yellow shaded pink.
Mad. Jules Bouche, white. Madam Ravary, yellow. Milady, red. Miss Cynthia Forde, dk. pink. Miss Lolita Armour, yellow shaded pink.

Mrs. Aaron Ward, yellow.

Mrs. A. R. Waddell, yellow shaded pink. Mrs. Charles Russell, dk. pink. Mrs. W. C. Miller, dk. pink. Ophelia, lt. pink. Radiance, dark pink. Red Radiance, red. Souv. de C. Pernet, yellow. \$1.00 each. White Killarney, white.

Hybrid Perpetual Roses

Frau Karl Druschki, White. George Ahrends, Pink. Magna Charta, Dark pink. Mrs. John Laing, Dark pink. Paul Neyron, Dark pink. Ulrich Brunner, Red.

Baby Ramblers

Edith Cavell, Crimson. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red.

White Baby Rambler. Red Baby Rambler. Lafayette, Red. Yvonne Rabier, White.

Climbing Roses

Each .75 Per 10 6.75 Per 100 60.00

American Beauty, Carmine American Pillar, Single red, white center. Crimson rambler, Crimson. Dr. Van Fleet, Shell pink. Dorothy Perkins, Pink. Dorothy Perkins, White.

Excelsa, Crimson. Gardenia, Yellow. Hiawatha, Single red. Paul's scarlet climber, Large brilliant scarlet. Silver moon, Semi-double white.

.40

Vines
ACTINIDIA arguta. Bower Actinidia. 20'-30' Greenish white, July. Rich dark green foliage—yellow berries. 2 to 3 ft \$.65 3 to 4 ft \$.75
AKEBIA quinata. FIVELEAF AKEBIA. 15'-20' Dainty beautiful vine, purple flower, May. Deep green leaves—persisting till winter. 3 yr
AMPELOPSIS engelmanni. ENGLEMANN CREEPER. 30'-40' A good self clinging woodbine—very hardy. 2 yr
2 yr. No. 2
CELASTRUS orbiculatus (articulata). ORIENTAL BITTERSWEET. 15'-20' Has decorative orange and crimson berries which last all winter. 2 yr
CLEMATIS paniculata. Sweet Autumn Clematis. 20'-30' White fragrant flowers, Sept. 2 yr, No. 240 2 yr, No. 150 3 yr, No. 160
EUONYMUS. (See Evergreens)
HEDERA helix. English Ivy. 20'-50' Evergreen—good ground cover in shade.

2 yr......

LONICERA japonica (brachypoda). JAPANESE HONEYSUCKLE. 15'-20' Rapid grower and blooms freely from June to Sept. Useful for covering steep banks. Almost evergreen.
3 yr
2 yr
heckrotti. Everblooming Honeysuckle. 15'-20' Flowers purple
2 yr50 3 yr60 sempervirens. Trumpet Honeysuckle. 15'-20' Bright scarlet showy flowers, July-Sept. 2 yr50
2 y1,
LYCIUM barbarum. MATRIMONY-VINE. 10'-12' Violet flowers in June, bright red fruits. For banks and walls. 18 to 24 in
chinensis. Chinese Matrimony-vine. 12'-15' More vigorous and fruitful than preceding, otherwise similar in habit. 18 to 24 in
PUERARIA thunbergiana. KUDZU-VINE. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr
WISTERIA frutescens. AMERICAN WISTERIA. 20'-25' Lilac purple
flowers in short clusters in June. 2 to 3 ft
Clusters, May,
18 to 24 in65 2 to 3 ft75 3 to 4 ft90 sinensis. Chinese Wisteria. 40'-50' Purple-blue flowers about a week before preceding.
1½ to 2 ft
18 in
Conifers and Evergreens
These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a **.
ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen.
2½ ft\$4.00 concolor. White Fir. 70′-80′ Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles.
cal beautiful specimen. Large gray-green needles. 18 in. \$3.25 2½ ft. 5.75 2 ft. 4.50 3 ft. 7.25 douglasi (pseudotsuga). Douglas Fir. 70′-80′ Very hardy, dark
bluish-green coloring. Prefers well drained situation. 1½ ft
bluish-green coloring. Prefers well drained situation. 1½ ft. 2.50 3 ft. 5.25 2 ft. 3.25 3½ ft. 7.25 2½ ft. 4.00
nordmanniana. Nordmann Fir. 60'-70' Grows slowly when young. Flat leaves, rich shining green above, silvery white beneath. 2 ft4.75 2½ ft6.50 3 ft8.00

ANDROMEDA catesbaei (See Leucothoe and Pieris)

AZALEA amoena. Japanese Azalea	. 2½'-3' Conspicuous purple-red
6 to 8 in**\$1.00 8 to 10 in**	turn rich bronze-green in winter. 10 to 12 in
hinodegiri. RED JAPANESE AZALI	EA. (Pot grown) 3'-1' Larger
pink—effective in masses or w	bove, flowers very bright carmine- ith Rhododendron.
6 to 8 in.**	10 in 2.25 12 in 2.50
BERBERIS ilicifolia. Holly Barn	BERRY. 5'-6' Holly-like leaves
persisting till new foliage appe 15 to 18 in90	18 to 24 in 1.10
BIOTA orientalis. ORIENTAL ARBOT	RVITAE. 20'-25' Stiff columnar
15 to 18 in 1.00	onze in winter, good accent plant. 3 ft
15 to 18 in	3½ ft
2½ ft	ADDODUTAR 7'-8'
Bright golden yellow in spring, upright growth.	bronze yellow in winter. Narrow
15 in	2½ ft
2 ft 4.00	3 H
orientalis compacta. SIEBOLD ARB	ORVITAE. 3'-4' Forms a compact
oval-shaped specimen. Good to 12 in 1.25	
columnar.	onze color in winter. Compact,
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 ft
orientalis nana aurea. BERCKMAN A gem for dwarf planting— golden yellow foliage. Espec	N GOLDEN ARBORVITAE. 2½'-3' compact roundish shape, warm ially good for formal work and
edging. 6 to 8 in 1.25	12 in 2.00
6 to 8 in. 1.25 8 to 10 in. 1.50 10 to 12 in. 1.75	15 in 2.50 18 in 4.00
BUXUS sempervirens. Box. (Bush hedges.	
8 to 10 in.**bushy	Each Per 10 Per 100
10 in. ** "	
15 in. "	1.50 11.50 105.00 2.00 16.00
18 in. "	4.75
2 ft., sheared	6.50
japonica globes. (clipped) 16 to 18 in9.75 18 to 20 in.	.11.50 20 to 22 in., 13.75
Pyramidal. (clipped) 28 in	32 in 12.50
suffruticosa. Truedwarf Box. 3'	-4' Extensively used for edging. Per 10 Per 100
3 in. **	1.75 9.75
4 in. **	5.75 24.00
8 in. **. 10 in. **	8.00 57.50
~V 1114	

CALLUNA. SCOTCH HEATHER. $I'-2'$ A splendid evergreen ground cover. Best in large masses on well-drained slopes. Each Per 10 Per 100
vulgaris alba. WHITE HEATHER vulgaris alporti. 6 to 8 in.**\$,40 \$3.50 \$32.50 8 to 10 in.**.50 4.00 35.00 35.00 10 to 12 in.**.60 4.75 43.50
CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers in April. Leaves persist throughout winter. Attractive, useful. 12 to 15 in 1.25 15 to 18 in 1.75 18 to 24 in 2.25
COTONEASTER acutifolia. Peking cotoneaster. 5'-6' 1½ to 2 ft
15 in
microphylla. Rockspray. $i y' - 2'$ Very small leaves, very deep green. 12 in. 1.00 18 in. 1.40 15 in. 1.25 2 ft. 1.75
15 in
15 in
CRYPTOMERIA lobbi compacta. CAVE CRYPTOMERIA. 15'-20' Forms narrow irregular column—compact and picturesque. Rich winter color, bronze-green. Prefers moist well-drained location. 18 in 2.50 2 ft 3.25 2½ ft 4.50
DAPHNE cneorum. Rose Daphne. I' Gray-green foliage—low spreading. Pretty pink flowers in April–May. Delightful fragrance.
8 in
EUONYMOUS japonica. JAPANESE EUONYMUS. 5'-6' Lustrous deep
EUONYMOUS japonica. JAPANESE EUONYMUS. 5'-6' Lustrous deep green leaves. 8 to 10 in.** .55 12 to 15 in. 1.25 10 to 12 in.** .80 15 to 18 in. 1.50
patens (sieboldianus.) Spreading Euonymus. 6'-8' Vigorous
grower, forming broad, rather loose shrub, leaves persisting until late winter. Ornamental fruits. Effective among denser conifers. 12 in.**
12 III
radicans. WINTERCREEPER. Climbing to 15 ft. Self-clinging vine. Good for covering low walls, also useful for under planting. 8 to 12 in.** 2 yr. bushy .35 12 to 15 in.** 2 yr., bushy .50
radicans acutus. Sharpleaf Wintercreeper. A graceful form with
long, narrow leaves, white veins, purplish underneath. 15 in., 2 yr.**
radicans carrierei. GLOSSY WINTERCREEPER. Large, shiny, pointed leaves
12 to 15 in.** 2 yr50 15 to 18 in.** 3 yr60
radicans minimus. BABY WINTERCREEPER. 2'-3' Has tiny evergreen leaves and a dainty trailing habit. Charming rock subject. 6 to 8 in
radicans variegatus. Variegated Wintercreeper. Leaves veined and marked yellowish white and pink. Clinging vine. 8 to 12 in.** 2 yr., bushy .35 12 to 15 in.** 3 yr., bushy .45
radicans vegetus. Bigleaf Wintercreeper. 3'-4' Bushy interesting growth. Leaves round, dull green. Bright scarlet fruits
ing growth. Leaves round, dull green. Bright scarlet fruits freely produced. Handsome among evergreens. 12 to 15 in.** 2 yr
radicans vegetus. (Grown from seedlings). Does not fruit so freely.

Zi inibitioni itolobiti co.
ILEX crenata. JAPANESE HOLLY. 8'-10' Box-like leaves, rich deep green and leathery. Stiff, branching—a good hedge. Black
berries. 15 in. \$2.00 18 in. \$2.50 2 ft. \$3.75 crenata microphylla. SMALL LEAF JAPANESE HOLLY. 6'-8' Smaller leaves and more hardy than preceding. More compact habit. 15 in. \$1.75 2½ ft. \$5.75 18 in. \$2.50 3 ft. \$8.00 2 ft. \$3.75 3½ ft. \$10.50 glabra. INKBERRY. 5'-6' Shining dark green leaves purplish in winter. Black berries. Useful for shady spots, also succeeds in sun.
12 in. 1.25 15 in. 1.75 18 in. 2.00 opaca. American Holly. 25'-30' Does best in moist partially shaded place. Rather difficult to transplant. 2 ft. 4.00 3 ft. 6.50 2½ ft. 4.75 3½ ft. 8.00
JUNIPERUS canadensis. (See Communis.) chinensis. Chinese Juniper. 15'-20' Formal columnar outline, gray-green foliage of two types. 18 in 2.50 2 ft 3.25 2½ ft 4.00
chinensis albo variegata. WHITE LEAF CHINESE JUNIPER. 6'-8' Light glaucous foliage with creamy branches interspersed.
12 in
forming tall, narrow column of gray-green foliage. Spire-like effect. Very useful in evergreen planting. 2 ft 4.00 2½ ft 4.75 3 ft 5.75 chinensis neaboriensis. Conical Chinese Juniper. 7′-8′ Very
formal narrow pyramid. Prickly leaves. Useful accent plant. 18 in . $2.00 2\frac{1}{2} \text{ ft}$. $3.75 2 \text{ ft}$. $2.75 3 \text{ft}$. $4.75 4.75 3.75 3 \text{ft}$
chinensis oblonga. $7'-8'$ Forms broad irregular pyramid with feathery branches. Grayish foliage shaded purple in winter. 15 in 1.75 $\geq \frac{1}{2}$ ft 4.50 18 in 2.50 3 ft 6.00 2 ft 3.75
chinensis pfitzeriana. Pfitzer Juniper. 5'-6' Broad bushy habit. Gray-green foliage giving feathery appearance. A most adaptable hardy evergreen, highly recommended. 1½ ft. 2.75 2½ ft. 5.75 2 ft. 4.00 3 ft. 8.00
chinensis sargenti. Sargent Juniper. 1½' Prostrate habit. Grass- green foliage. A valuable ground cover and rock plant. 10 to 12 in 2.50 12 to 15 in 3.25 15 to 18 in 4.00
communis. COMMON JUNIPER. 2'-2½' Forms a vase-shaped bush. 12 to 15 in. 1.25 18 to 24 in. 2.25 15 to 18 in. 1.75 2 ft. 3.25 communis aurea. GOLDEN COMMON JUNIPER. 1'-1½' Low spread-
ing habit. Golden foliage, particularly bright in spring. 12 in 1.75 15 in 2.50 18 in 2.75 communis canadensis. Canada Juniper. 2½'-3' Forms low vase- shaped bush. Leaves dark green above, bluish beneath.
12 in. 1.35 2 it. 3.25 15 in. 1.85 2½ ft. 4.00 18 in. 2.50
from ground, making very narrow column.
12 in

JUNIPERUS communis hibernica. In	DICH TUNIDED 7'-8' A VOTY DOTTOW
Tracket for its spins	1:1- off of
pyramid. Useful for its spire	-nke enect.
12 in\$1.00 15 in	2 it\$2.25
15 in 1.25	2½ ft
10 111 1.10	
communis denressa. Prostrate I	UNIPER. I'-I'/2' Branches spread
almost along ground—a usfu	Il ground cover and rock plant. 2 ft 2.75 2½ ft 4.50
19 in 1 25	2 ft 275
12 III	01/64 4.70
13 in 1.73	2½ It 4.50
18 m 2.00	
communis suecica nana. DWARE	SWEDISH JUNIPER. $3'-3\frac{1}{2}'$ A
narrow compact column of slo	ow growth.
12 in	18 in 2.50
15 in 200	9 ft 2.95
10 III 2.00	2 10
conferta (intorains). SHORE JUNIPE	ER. $I = I \frac{1}{2}$ Prostrate nabit, use-
ful on sandy places or seaside	planting. Large leaves.
15 in 1.85	18 in 2.25
excelsa stricta. SPINY GREEK TI	UNIPER. 1'-5' Compact, well-
conferta (litoralis). SHORE JUNIPE ful on sandy places or seaside 15 in	wareen Most useful for formal
offeets	ry green. Prost aserui for formal
10 in 1.75 12 in 2.00 15 in 2.50 sabina horizontalis. Creeping J	18 in 4.00
12 in 2.00	2 ft 4.75
15 in 2.50	2½ ft 5.75
sahina horizontalis CREEDING I	UNIPER I'-II' Branches trail
along ground. Good for rock	rwork and ground sorrains
along ground. Good for rock	work and ground covering,
15 in 1.75 18 in	. 2.25 2 it 3.25
15 in 1.75 18 in horizontalis douglasi. Waukegan	JUNIPER. $I'-I^{1/2}$ Long branches
trailing along ground. Steely	-blue foliage. A splendid ground
cover, also effective among roo	ck. Distinct purple bue in winter.
12 in 1.75 15 in	2.50 18 in 3.25
cover, also effective among roo 12 in 1.75 15 in japonica. Japanese Juniper. 3-4	' I over another approaching broughts
Japonica. JAPANESE JUNIPER. 3-4	Low grower, spreading branches,
dark green scaly leaves. Ada	pted to rock planting.
8 to 10 in 1.35	15 in 2.25
japonica aurea variegata. Golde	N VARIEGATED JUNIPER. 2'-21/2'
Japonica aurea variegata. Golde Useful for low plantings	N VARIEGATED JUNIPER. $2'-2\frac{1}{2}'$
Japonica aurea variegata. Golde Useful for low plantings	N VARIEGATED JUNIPER. $2'-2\frac{1}{2}'$
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in	N VARIEGATED JUNIPER. 2'-2½'2.50 18 in 2.75
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in sabina. Savin. 6'-7' Dense dark	N VARIEGATED JUNIPER. 2'-2½'2.50 18 in 2.75 green foliage. Spreading branches
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in sabina. Savin. 6'-7' Dense dark	N VARIEGATED JUNIPER. 2'-2½'2.50 18 in 2.75 green foliage. Spreading branches
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in 1.75 15 in	N VARIEGATED JUNIPER. 2'-2½'2.50 18 in 2.75 green foliage. Spreading branches bush2.25 18 in 3.25
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in 1.75 15 in sabina tamariscifolia. Tamarix J	N VARIEGATED JUNIPER. 2'-2½'2.50 18 in 2.75 green foliage. Spreading branches bush2.25 18 in 3.25 UNIPER. I'-1½' Flat, spreading,
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting.
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting.
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting.
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting.
japonica aurea variegata. Golde Useful for low plantings. 12 in	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in 2.75 green foliage. Spreading branches bush2.25 18 in 3.25 uniper. $i'-i\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. $i\frac{1}{2}'-2'$ Thin round
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting.
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in 2.75 green foliage. Spreading branches bush2.25 18 in 3.25 uniper. $i'-i\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. $i\frac{1}{2}'-2'$ Thin round
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in. 2.75 green foliage. Spreading branches bush. 2.25 18 in. 3.25 uniper. $1'-1\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in. 2.50 18 in. 4.00 se Juniper. $1\frac{1}{2}'-2$ Thin round in leaves. Useful for foundation 15 in. 2.50 18 in. 2.50 18 in. 3.25
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redcedar. 25'-30'	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. $1'-1\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter.	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in. 2.75 green foliage. Spreading branches bush. 2.25 18 in. 3.25 uniper. $1'-1\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in. 2.50 18 in. 4.00 se Juniper. $1\frac{1}{2}'-2$ Thin round in leaves. Useful for foundation 15 in. 2.50 18 in. 2.50 18 in. 3.25
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round a leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed
japonica aurea variegata. Golde Useful for low plantings. 12 in	N Variegated Juniper. $2'-2\frac{1}{2}'$ 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. $1'-1\frac{1}{2}'$ Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in sabina. SAVIN. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe CHINES branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. REDCEDAR. 25'-30' 1 foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round a leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. SAVIN. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00
Japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in sabina tamariscifolia. Tamarix J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Rededar. 25'-30' 1 foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green
japonica aurea variegata. Golde Useful for low plantings. 12 in 2.00 15 in sabina. SAVIN. 6'-7' Dense dark forming irregular vase-shaped 12 in 1.75 15 in sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in 1.75 12 to 15 in 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in 1.35 10 in 1.75 12 in 2.00 virginiana. Redeedar. 25'-30' 15 foliage—purplish in winter. plantings. 18 in 1.25 2 ft 2.25 3 ft 4.50 virginiana cannarti. Cannart C foliage—dense growing colum	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. I'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. I½'-2' Thin round a leaves. Useful for foundation 15 in 2.50 18 in 2.50 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. I2'-15' Deed blue-green mar form.
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. SAVIN. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C foliage—dense growing colum: 2 ft. 2.75 2½ ft. 3.75	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green nar form. 3 ft 5.25 4 ft 7.50
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. SAVIN. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C foliage—dense growing colum: 2 ft. 2.75 2½ ft. 3.75	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green nar form. 3 ft 5.25 4 ft 7.50
Japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in sabina tamariscifolia. Tamarix J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C foliage—dense growing colume 2 ft. 2.75 2½ ft. 3.75 virginiana elegantissima. Goldting	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush. 2.25 18 in 3.25 UNIPER. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 2.50 18 in 4.00 SE JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green nar form. 3 ft 5.25 4 ft 7.50 REDCEDAR, 10'-12' Bright yellow
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C foliage—dense growing colum: 2 ft. 2.75 virginiana elegantissima. Goldtip tips to branches, turning bror 2 ft. 3.25 2½ ft. virginiang glauca. Silver Redection	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in
Japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX Jaking compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chinestranchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' If foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart Cann	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 4.00 se JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green nar form. 3 ft 5.25 4 ft 7.50 REDCEDAR. 10'-12' Bright yellow nze in winter. Attractive variety 4.50 3 ft 5.75 DAR. 15'-20' Bluish-gray foliage. 3 ft 5.25
Japonica aurea variegata. Golde Useful for low plantings. 12 in	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in 2.75 green foliage. Spreading branches bush 2.25 18 in 3.25 uniper. 1'-1½' Flat, spreading, xture in low evergreen planting. 15 to 18 in 4.00 se JUNIPER. 1½'-2' Thin round in leaves. Useful for foundation 15 in 2.50 18 in 2.50 18 in 3.25 Forms a dense column, deep green Useful in formal work or mixed 4 ft 5.75 5 ft 8.00 EDAR. 12'-15' Deed blue-green nar form. 3 ft 5.25 4 ft 7.50 REDCEDAR. 10'-12' Bright yellow nze in winter. Attractive variety 4.50 3 ft 5.75 DAR. 15'-20' Bluish-gray foliage. 3 ft 5.25
japonica aurea variegata. Golde Useful for low plantings. 12 in. 2.00 15 in. sabina. Savin. 6'-7' Dense dark forming irregular vase-shaped 12 in. 1.75 15 in. sabina tamariscifolia. TAMARIX J making compact but soft te 10 to 12 in. 1.75 12 to 15 in. 2.00 virginalis globosa. Globe Chines branchlets, scaly fresh greer planting. 8 in. 1.35 10 in. 1.75 12 in. 2.00 virginiana. Redeedar. 25'-30' I foliage—purplish in winter. plantings. 18 in. 1.25 2 ft. 2.25 3 ft. 4.50 virginiana cannarti. Cannart C foliage—dense growing colum: 2 ft. 2.75 virginiana elegantissima. Goldtip tips to branches, turning bror 2 ft. 3.25 2½ ft. virginiang glauca. Silver Redection	N VARIEGATED JUNIPER. 2'-2½' 2.50 18 in

JUNIPERUS virginiana pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over giving a picturesque effect. 2½ ft\$3.25 3 ft\$4.75 3½ ft\$6.00 virginiana schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit. 2 ft 2.75 2½ ft 3.75 3 ft 5.25 virginiana tripartita. Fountain Redcedar. 4'-5' A bushy half upright grower with feathery branches. 2 ft 3.25 2½ ft 4.50 3 ft 5.75 waukegan. (See Horizontalis Douglasi)
KALMIA latifolia. MOUNTAIN LAUREL. 5'-7' Nursery Grown. Most effective in June when the clusters of pink flowers open. Good foliage, likes shade. 12 to 18 in. 1.75 2 to 2½ ft. 2.75 18 to 24 in. 2.50 2½ to 3 ft. 3.75 Collected stock—price on application.
LEUCOTHOE catesbaei. DROOPING LEUCOTHOE. 3'-4' Attractive white flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade. 12 to 18 in 1.35 18 to 24 in 2.00 2 to 2½ ft 2.50
LEIOPHYLLUM buxifolium. SANDMYRTLE. 18" Small pale pink flower in June Leaves are small. Good ground cover or rock plant. 8 to 10 in 1.25 10 to 12 in 2.00 12 to 15 in 2.50
MAHONIA aquifolium. Oregon Hollygrape. 4'-5' Shining green leaves, rich scarlet in autumn. Yellow flowers in May. Best in half shade. 12 in
PICEA canadensis. White Spruce. 50'-60' Silvery foliage—develops into shapely specimen of close texture. 12 in
PIERIS japonica. Japanese Andromeda. 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Grows slowly—best in moist, partially shaded place. 12 in
floribunda. MOUNTAIN ANDROMEDA. 4' Waxy white flowers in May. Good deep green foliage, best in half-shady places, very hardy. 12 in

PINUS austriaca (nigra). AUSTRIAN PINE. 60'-70' Rich dark green,
vigorous, dense grower. Good for background—thrives at seashore.
2 ft \$2.50 21/ ft \$3.25 3 ft \$4.75
2 ft\$2.50 2½ ft\$3.25 3 ft\$4.75 cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid
cembra. Swiss Solone I Re. 20 -25 I film Dittishingteen needles and
close growth give soft texture. Symmetrical blunt pyramid
when young. Grows slowly.
12 in
15 in
12 in
succeeds well at seasnore.
1½ to 2 ft. 2.00 2½ to 3 ft. 3.00 2 to 2½ ft. 2.50 3 to 4 ft. 4.50 densiflora umbraculifera. Japanese Umbrella Pine. 3'-4' A
2 to $2\frac{1}{2}$ ft
densifiora umbraculifera. IAPANESE UMBRELLA PINE. 3'-4' A
dwarf variety in which the branches form a flat-topped table-like
hugh Dathan aumiana but a madul dayant aina
19 in 2 25 15 in 4 75 19 in 6 50
12 in 3.25 15 in 4.75 18 in 6.50 flexilis. Limber Pine. 30'-40' Bluish or dark-green leaves. Good for rocky places. Grows slowly. 18 in 2.50 2½ ft 4.00 2 ft 3.25 3 ft 5.25 montana mughus. Mugho Pine. 2½'-3' Forms a round-topped bush. Useful for rock planting and foundation work.
nexins. Limber Pine. 30-40 Bluish of dark-green leaves. Good
for rocky places. Grows slowly.
18 in
2 ft 3.25 3 ft 5.25
montana mughus. Mugho Pine. 2½′-3′ Forms a round-topped
12 in
15 in
12 in. 2.25 18 in. 4.00 15 in. 2.75 2 ft. 5.75 resinosa. RED PINE. 50'-60' Rich green stiff leaves. Reddish
brown bark Vigorous symmetrical grower
9 ft 950 91/ft 995 9 ft 475
brown bark. Vigorous, symmetrical grower. 2 ft
rigida. Firch Fire. 40-50 irregular, picturesque habit. Oseiui
for dry, poor soil and seashore planting—quick grower.
2½ ft. 2.50 4 ft. 4.50 3 ft. 3.25 5 ft. 5.75
3 ft 3.25 5 ft 5.75
strobus White Pine Xo'-100' Probably our most adaptable and
useful pine. Very picturesque when old. 2 ft
2 ft 2.00 2½ ft 2.75 3 ft 4.00
sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted
needles. Does well on poor soils. Picturesque when old.
needles. Does well on poor soils. Picturesque when old. 2 ft 2.00 2½ ft 2.75 3 ft 4.00
RETINOSPORA ericoides. HEATH RETINISPORA. 3'-4' Has heather-
like leaves, giving woolly effect. Forms a round, broad bush,
like leaves, giving woolly effect. Forms a round, broad bush. 12 in. $1.10 2 \text{ft}$. $3.25 15 \text{in}$. $1.75 2\frac{1}{2} \text{ft}$. $4.50 1.5 $
15 in 1.75 2½ ft 4.50
18 in 2.00
1-4-1-1- A O
leptoclada. Andely Cypress. 5'-6' Broadly columnar habit branch-
ing from ground. Bluish-green foliage.
ing from ground. Bluish-green foliage. 18 in 2.50 2 ft 3.25 2½ ft 4.00
obtusa. Hinoki Cypress. 15'-20' Dark green lustrous foliage—grows slowly. Forms beautiful specimen—fern-like branches.
grows slowly. Forms beautiful specimen—fern-like branches.
15 to 18 in 2.00 21/4 ft 4.50
15 to 18 in. 2.00 2½ ft. 4.50 1½ to 2 ft. 2.75 3 ft. 5.75
2 ft
2 10
obtusa compacta. Football Cypress. 2½'-4' Almost spherical in shape—good green during winter. Useful for foundation. 12 in 1.75 15 in 2.75 18 in 4.00
shape—good green during winter. Useful for foundation.
12 in $\bar{1}.75$ 15 in 2.75 18 in 4.00
obtusa crippsi. CRIPPS GOLDEN CYPRESS. 10'-12' Particularly
good golden leaved form Slave growing hardy
good golden leaved form. Slow growing—hardy.
12 in 2.00 15 in 2.50 18 in 2.75
obtusa gracilis. SLENDER HINOKI CYPRESS. 12'-15' Narrow irregu-
lar pyramid, rich dark green foliage. Slow grower.
15 in
15 in
obtusa gracilis compacta. Compact Hinoki Cypress. 4'-5' Very
slow and compact grower. Roughly pyramid in outline. 15 in 2.75 18 in 4.00 2 ft 5.25
10 III 2.70 18 III 4.00 Z II 5.20

RETINOSPORA obtusa nana. DWARF HINOKI CYPRESS. 2'-21/2'. Forms a dense irregular little mass, interesting and useful
for rock gardens. 8 in
golden leaved form of preceding. 10 in 2.50 15 in 2.75 18 in 4.00 obtusa youngi. Young Golden Hinoki Cypress. 12'-15' Graceful
obtusa youngi. Young Golden Hinoki Cypress. 12'-15' Graceful loose habit. Good constant light yellow foliage on outside of bush.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
pisifera. SAWARA CYPRESS. 25'-35' Quick grower, loosely pyramidal. 15 in. 2.00 2½ ft. 4.50 1½ ft. 2.50 3 ft. 5.75
2 ft
yellow especially in spring. Branches droop when older. 15 in. 2.00 2½ ft. 4.75 18 in. 2.75 3 ft. 6.00 2 ft. 4.00
plumosa Drugg Cyppess ag/ ag/ Forms a done cone of fine
texture. Useful for shearing into formal shapes. 15 in
plumosa aurea. Golden Plume Cypress. 20'-25' Has yellow leaves.
15 in 2.25 2 ft. bushy 4.00 18 in., bushy 2.75 2½ ft 4.75
plumosa lutescens. DWARF YELLOW PLUME CYPRESS. 2½'-3' Forms a low broad round-topped bush; bright yellow tipped branchlets.
10 in. 1.75 15 in. 2.75 12 in. 2.25 18 in. 4.00
filifera. Thread Cypress. 15'-20' Has long, stringy, drooping branches and bright green foliage—graceful and decorative.
12 in. 1.75 2 ft. 4.50 15 in. 2.00 2½ ft. 5.25 18 in. 2.75 3 ft. 8.00
filifera aurea. GOLDEN THREAD CYPRESS. 10'-12' Very bright conspicuous golden yellow. Grows more slowly than preceding. 10 to 12 in. 2.25 15 in. 3.25 12 in. 2.75 18 in. 3.75
filifera aurea nova. Variegated Thread Cypress. 10'-12' Branches are variegated green and yellow. 15 in
squarrosa veitchi. Veitch Moss Cypress. 25'-30' Foliage bluegray, feathery and dense, giving soft woolly appearance. Broad pyramidal outline when young.
12 in
squarrosa sulphurea. Sulphur Moss Cypress. 20'-25' Similar in growth to Veitch's but has light yellow tips.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
thyoides. WHITECEDAR. Irregular slender outline, bluish-gray fragrant foliage purplish in winter. Valuable for low marshy places. 3 ft. 5.75 4 ft. 7.50 3½ ft. 6.50 5 ft. 8.75
3½ ft 6.50 5 ft 8.75

All our Rhododendrons are compact NURSERY GROWN plants. Prises on collected stock will be given on application.

RHODODENDRON. HYBRID RE	HODODENDRON, 3'-8'
Album elegans Album grandiflorum.) 2 ft\$ 6.00
Atrosanguineum.	2½ ft. 8.00 3 ft. 10.00
Boule de neige.	3 ft
Catawbiense grandiflora alba. Delicatissimum.	3½ ft
Everestianum.	4 ft. 15.00 4½ ft. 18.00
Lee's Dark purple.	5 ft
Roseum elegans.	
carolinianum. CAROLINA RHO	DODDENDRON. 4'-6' Pink flowers,
12 to 18 in 2.50	bobbendron. 4—6 This howers, shally places. 2 to 2½ ft
18 to 24 in 3.25	$2\frac{1}{2}$ to 3 ft 5.25
catawbiense. CATAWBE RHODO	DDENDRON. $6'-9'$ Large rosy-purple
flowers, May–June. Deep	green leaves, prefers half-shade.
18 to 24 in 3.75	2½ to 3 ft 4.50
maximum. Rosebay Rhodode	NDRON. 8'-12' Beautiful light pink
flowers freely produced in I	green leaves, prefers half-shade. 2 to 2½ ft 4.00 2½ to 3 ft 4.50 NDRON. 8'-12' Beautiful light pink May-June. Large, handsome foliage,
most effective in masses	
1 to 1½ it 2.00	3 to 4 ft 4.75
2 to 2½ ft 3.25	$2\frac{1}{2}$ to 3 ft. 4.00 3 to 4 ft. 4.75 4 to 5 ft. 6.75
TAXUS baccata. SHORTLEAF ENG	GLISH YEW. 3'-5' Compact, upright.
Stiff dark green leaves croy	vded on branches.
15 in	at, compact form, short deep-green
leaves.	at, compact form, snort deep-green
15 in 9 50	40.1
10 111	18 in 3.25
baccata repandens. Spreading	18 in 3.25 ENGLISH YEW. 1½'-2' Spreading
baccata repandens. SPREADING horizontal branches, dark	18 in
planting.	
planting. 12 in 2.00 15 in canadensis. Canada Yew. 2	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in
planting. 12 in 2.00 15 in canadensis. Canada Yew. 2	2.75 18 in 4.00 2'-2'/2' Spreading habit, bronzy in
planting. 12 in 2.00 15 in canadensis. Canada Yew. 2	2.75 18 in 4.00 2'-2'/2' Spreading habit, bronzy in
planting. 12 in 2.00 15 in canadensis. Canada Yew. 2	2.75 18 in 4.00 2'-2'/2' Spreading habit, bronzy in
planting. 12 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 2'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation
planting. 12 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 2'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation
planting. 12 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 2'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation
planting. 12 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 2'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation
planting. 12 in 2.00 15 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 1'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation 2 ft 5.75 2½ ft 8.00 JAPANESE YEW. 2'-3' Broad thick by growing, irregular spreading.
planting. 12 in 2.00 15 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 1'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation 2 ft 5.75 2½ ft 8.00 JAPANESE YEW. 2'-3' Broad thick by growing, irregular spreading.
planting. 12 in 2.00 15 in canadensis. Canada Yew. 2 winter. Prefers shade—go 12 in 2.00 cuspidata. Japanese Yew. 4 green leaves. Spreading planting. 12 in 2.00 15 in 2.75 18 in 4.00 cuspidata brevifolia. Dwarf leaves, blackish green. Slo 8 in 1.75 10 in., bushy 1.90	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 2'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in
planting. 12 in	2.75 18 in 4.00 2'-2½' Spreading habit, bronzy in od for underplanting. 15 in 2.75 4'-5' (Spreading form.) Rich dark, bushy. Valuable for foundation 2 ft 5.75 2½ ft 8.00 JAPANESE YEW. 2'-3' Broad thick bw growing, irregular spreading. 15 in 2.75 18 in 4.50 shining deep-green fleshy leaves 3.75 2½ ft 5.00 DRIVITAE. 15'-30' Slender pyramid winter coloring. Good accent or hedge

THUJA occidentalis compacta. Parsons Dwarf Arborvitae. 21/2'-4'
Almost globe shaped. Bright green. Useful in formal or founda-
tion planting.
12 in \$1.75 15 in \$2.00 18 in \$2.75
occidentalis douglasi aurea. Douglas Golden Arborvitae. 10'-15'
A broad pyramid with golden green foliage.
18 in. 2.75 3 ft. 5.75 2 ft. 3.75 3½ ft. 8.00
$2 \text{ ft.} \dots 3.75 \qquad 3\frac{1}{2} \text{ ft.} \dots 8.00$
$2\frac{1}{2}$ ft
occidentalis elegantissima. Golden Tipped Arborvitae. 10'-15'
Branches tipped with yellow. Rich lustrous green otherwise.
18 in
Branches tipped with yellow. Rich lustrous green otherwise. 18 in. 2.00 2½ ft. 4.50 2 ft. 3.25 3 ft. 5.75
occidentalis eliwangeriana. Tom Thumb Arborvitae. 4'-0' Has
heather-like leaves—dense habit—soft, close texture. Forms
low, broad, blunt pyramid. Rich purple winter coloring.
12 in
15 in 1.75 2½ it 4.00
1½ 11
occidentalis recurva nana. LITTLE GEM ARBORVITAE. 2
10 in 2.00 12 in 2.50 15 in 3.25
occidentalis globosa. GLOBE ARBORVITAE. 21/2'-3' Useful in formal
work. Naturally globe shaped.
10 in. 1.35 15 in. 2.25 12 in. 1.75 18 in. 2.75
12 in
occidentalis hoveyi. Hovey Arborvitae. 3'-4' Oval in shape,
nearly as broad as high. Bright green foliage. 12 in 1.75 15 in 2.00 18 in 2.50
12 in 1.75 15 in 2.00 18 in 2.50
occidentalis lutea. Geo. Peabody Arborvitae. 10'-15' Conspicu-
ous golden yellow form. Columnar outline.
ous golden yellow form. Columnar outline. 15 in
18 in 2.50 3 ft 5.75
2 ft 3.25
occidentalis plicata. Moss Arborvitae. 10'-20' Rich deep blue-
green foliage. Short, stiff fern-like branches give pleasing effect
in light and shade. Formal pyramid.
18 in
2 ft 2.00 3½ ft 5.25
18 in. 1.85 3 ft. 4.00 2 ft. 2.00 3½ ft. 5.25 2½ ft. 2.75 4 ft. 6.50
occidentalis pyramidalis. Pyramidal Arborvitae. 15'-30' Retains
bright green coloring throughout winter. Narrow columnar
shape, splendid for accents or formal planting.
18 in
2 ft
2½ ft
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dense
rugged columnar form. Slow grower.
12 in 1.85 2 ft 2.75 15 in 2.00 2½ ft 4.00
15 in
18 in 2.50
occidentalis spaethi. Spaeth Arborvitae. 21/2'-4' Two kinds of
leaves—heathlike and scaly. Interesting and distinct. 12 in 1.25 15 in 1.75 18 in 2.00
12 in 1.25 15 in 1.75 18 in 2.00
occidentalis umbraculifera. Umbrella Arborvitae. 2'-3' Par-
ticularly good—low mushroom shaped form with rich green
foliage.
12 in 2.00 15 in 2.75 18 in 3.25
occidentalis vervaeneana. VERVAENE ARBORVITAE. 8'-12' Varie-
gated greenish yellow foliage, bronzy in winter—broadly pyra-
midal.
18 in
2 ft

_		TA 11 / 11
1	HU,	JA occidentalis vervaeneana aurea. Golden Vervaene
		Arborvitae 8'-12' A more intense yellow than preceding.
	2	2½ ft. \$4.75 3½ ft. \$9.50 ft. 7.25 4 ft. 12.00
	3	ft
	wai	reana (siberica.) SIBERIAN ARBORVITAE. 12'-15' Light green
		fleshy foliage. Broadly pyramidal, rugged in appearance.
	1	$5 \text{ in} \dots 1.75$ $2\frac{1}{2} \text{ ft} \dots 4.00$
		1½ ft 2.25 3 ft 5.75
		2 ft
T	SUC	A canadensis. Canada Hemlock. 75'-90' Most graceful and
		adaptable, the spreading horizontal branches making effective
		shadow effects. Useful as clipped hedge or informal planting.
		8 in
		2 ft
	car	oliniana. Carolina Hemlock. 50'-60' A particularly fine ever-
		green with horizontal branches and thick green leaves—very
		hardy.
	1	8 in 3.25 2 ft 4.75 $2\frac{1}{2}$ ft 6.50
V	IBU	RNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large
		oblong leaves, deep green above, gray beneath—a bold handsome
		shrub.
	1	2 to 18 in
Y	UCC	A filamentosa. Adam's Needle. 2'-3' Long lance-like leaves.
		Tall flower spikes grow up quickly in June-July. Numerous
		creamy flowers and general appearance give tropical effect.
		Useful for massing with either evergreens or shrubbery.
		Each Per 10
	0	** 05 1.75

Hardy Herbaceous Perennials

* indicates plants suitable for rockery or alpine gardens.				
ACHILLAE ageratum. Sweet Yarrow. 2'	Each	Per 10	Per 100	
Yellow, June-Sept ptarmica Boule de niege. YARROW. 18"	\$.25	\$2.00	\$16.00	
ptarmica Boule de niege. YARROW. 18"	0.5	0.00	10.00	
White, June—Sept* *tomentosa. Wooly Yarrow. I' Yellow,	.25	2.00	16.00	
June-Sept	.25	2.00	16.00	
ACONITUM fischeri. Azure Monkshood.	.20	2.00	10.00	
2½' Dark blue, Sept-Oct	.40	3.00	29.00	
*AETHIONEMA coridifolium. LEBANON				
STONECRESS. I' Pink, June	.40	3.00	25.00	
ALTHAEA. HOLLYHOCK. 5' Assorted. single	.25	2.00	16.00	
and double, July-Aug	.20	2.00	10.00	
GOLDENTUFT. I' Yellow, April-May.	.25	2.00	16.00	
ANCHUSA italica. ITALIAN BUGLOSS. 4'				
Blue, June-Sept	.35	2.50	20.00	
AQUILEGIA caerulea. Colorado Colum-	0~	0.00	10.00	
BINE. 18" Blue and white, May–June	.25	2.00	16.00	
chrysantha. Golden Columbine. 2' Yellow, May-June	.25	2.00	16.00	
*flabellata. FAN COLUMBINE. I' White,	.20	2.00	10.00	
May-June	.25	2.00	16.00	
formosa truncata. California Hybrids.		- 00		
2' Various colors, May-June	.25	2.00	16.00	
*ARABIS alpina. ALPINE ROCKCRESS. 6"	.25	2.00	10.00	
White, April-May* *albida florepleno. Double Wallcress.	.20	2.00	10.00	
6" White, April-May	.35	2.50	20.00	
*ARENARIA montana. SANDWORT. 4"				
White, April-May	.25	2.00	16.00	
*ARMERIA maritima. SEA THRIFT. 0" Pink,	05	0.00	10.00	
May-June	.25	2.00	16.00	

*ASTER alpinus. Rock Aster. 8" Lilac, May-June Beauty of Colwall. 4' Lavender. Aug	Each \$.25	Per 10 \$2.00	Per 100 \$16.00
Octsub-coeruleus. 12" Mauve, June-July	.25 .25	$\frac{2.00}{2.00}$	16.00 16.00
*AUBRIETIA deltoidea. COMMON AUBRIETIA. 6" Violet, April-May.	.35	2.50	20.00
BAPTISIA australis. Blue Wild-Indigo. 2½' Dark blue, May-June tinctoria. Yellow Wild-Indigo. 2' Yel-	.25	2.00	16.00
low, June–July	.25	2.00	16.00
BOLTONIA latisquama. BOLTONIA. 4' Violet. Aug.—Sept	.25	2.00	16.00
latisquama nana. DWARF PINKRAY BOL- TONIA. 2' Light Pink, Aug.—Sept *CALANDRINIA umbellata. PERUVIAN ROCK-	.25	2.00	16.00
PURSLANE. 6" Purplish crimson, July—Oct*CAMPANULA carpatica. CARPATHIAN BELL-	.25	2.00	16.00
FLOWER. 6" Light blue, July-Aug *alba. White Carpathian Bellflower.	.25	2.00	16.00
6" White, July-Augglomerata. Danesblood. 18" Dark blue,	.25	2.00	16.00
June–Julymedium. Canterbury-bells. 2' Blue,	.25	2.00	16.00
Pink, White, Junemedium calycanthema. Cup-and-saucer.	.25	2.00	16.00
2' Blue, pink, white, June persicifolia. Peachleaf Bellflower. 2'	.25	2.00	16.00
Blue, June–Julypersicifolia alba. White Peachleaf	.25	2.00	16.00
BELLFLOWER. 2' White, June–July CENTAUREA montana. MOUNTAIN-BLUET.	.25	2.00	16.00
2' June-Sept* *CERATOSTIGMA plumbaginoides. (Plumbago Larpentae). Blue Leadwort,	.25	2.00	16.00
8" Deep blue, Aug.—Sept	.35	2.50	20.00
CHELONE glabra. TURTLEHEAD. 2' White, Aug.—Sept	.25	2.00	16.00
AugSept	.25	2.00	16.00
CHRYSANTHEMUM	.40 v–Sept.	3.25	25.00
Maximum Alaska. 2' White, July-Sept.	m. Oct.		
Maximum Alaska. 2' White, July-Sept. Dean Emery. 2½' Large. Yellow, medium Donkelaria. 2½' Large. Yellow, early, Of Globe D'Or. 18" Button. Yellow, early.	ct.		
La Garrone 2' Large Rose and buff ear	1v.		
L'Argentuillais. 2' Large. Bronzy red, me Lillian Doty. 3' Pompom. Flesh pink, me	edium.		
Marie Dupont. 3' Large. White, early. Mrs. H. Harrison. 3' Pompom. Blush, es	arly.		
Pink Doty. 3' Pompom. Člear pink, med Queen of the Whites. 3' Large. Creamy Red Doty. 3' Pompom. Wine red, medium	ıum.	late.	
Red Doty. 3' Pompom. Wine red, medium. St. Illoria. 2½' Large. Pink, medium. Soeur Melanie. 2½' Large. White, medi	m.		
Tennyson. 2' Pompom. Red, late.	um.		
Yellow Dot. Pompom. Yellow, medium.	2		
Tennyson. 2' Pompom. Red, late. Uvalda. 2½' Pompom. White. Yellow Dot. Pompom. Yellow, medium. White Doty. 3' Pompom. White, medium. Zenobia. 18" Button. Yellow, early. CIMISCIFUGA racemosa. Cohosh Bug-	.1.		
BANE. 3'-4' White, July-Aug	.40	3.25	25.00

	Each	Per 10	Per 100
CONVALLARIA majalis. LILY-OF-THE-VAL- LEY. 8" White, May-June COREOPSIS floribunda. Coreopsis. 2' Yellow, June-Sept	\$.50	\$4.00	
Yellow, June-Sept	.35	2.50	\$20.00
June-Oct	.25	2.00	16.00
DELPHINIUM belladonna. LARKSPUR. 2½' Light blue, June-Oct	.25	2.00	16.00
grandiflorum chinense. SLENDER LARK- spur. 2' Deep blue, June-Oct	.25	2.00	16.00
grandiflorum chinense alba. WHITE SLENDER LARKSPUR. 2' White, June—Oct. elatum. BEE LARKSPUR. 2' Blue, June—	.25	2.00	16.00
Oct	.25	2.00	16.00
formosum. Hardy Larkspur. 2½ Dark blue, June-Oct.	.25	2.00	16.00
blue, June-Oct	.25	2.00	16.00
Oct. DIANTHUS barbatus. SWEET-WILLIAM. 1½' Red, white, pink, May-June.	.25	2.00	16.00
Newport pink. Sweet-William. 18" Pink,	.25	2.00	16.00
May-June	.25	2.00	16.00
WILLIAM. I' Crimson, May-June Miss America. 18" Double scarlet, May-	.25	2.00	16.00
Sept* *plumaris. 1' White, May-June Gertrude. 10" Double red, May-June.	.25	2.00	16.00
Contrado zo// Double and Mary Lune	.25		
*II. Waiset and Double led, May-Jule.	.20	2.00	16.00
*Her Majesty. 10" Double White, May-June Jean. 18" Double, white, red center, May-	.25	2.00	16.00
Sept. *DICENTRA spectabilis. BLEEDING-HEART.	.25	2.00	16.00
18" Pot grown. Deep rose, April–May.	.65	5.75	50.00
DICTAMNUS alba (fraxinella). GASPLANT.	.40	3.25	29.00
purple, June–July	.25	2.00	16.00
alba. White FoxGlove. 2' White, June—July* *DRABA rupestris. Whitlow Grass. 4"	.25	2.00	16.00
*DRABA rupestris. WHITLOW GRASS. 4" White, April—May ECHINACEA purpurea. Purple Cone-	.25	2.00	16.00
FLOWER. 3½' Purple, July—Aug ECHINOPS humilis. Low Globethistle. 2'	.25	2.00	16.00
Steel blue, July—Augritro. Steel blue, July—Aug	.25	2.00	16.00
Juiv-Aug	.25	2.00	16.00
EUPATORIUM coelestinum. Blue Mist- FLOWER. 2' Blue, Aug.—Oct	.25	2.00	16.00
FUNKIA subcordata. WHITE PLANTAINLILY. 18" White, July-Aug.	.35	2.50	
caerulea. 18" Blue, July-Augundulata variegata. Variegated Leaf	.30	2.50	20.00
Funkia. 18" Blue, July-Aug	.25	2.00	16.00
GAILLARDIA grandiflora. GAILLARDIA. 18" Yellow and Red, May-Nov	.25	2.00	16.00
GEUM Mrs. Bradshaw. Avens. 18" Double Red, June–July	.25	2.00	16.00
montanum. Mountain Avens. 18" Orange, May-July	.25	2.00	16.00
*GLOBULARIA trichosanthes. Syrian Globe- paisy. 6" Blue, May-June	.25	2.00	16.00

	-		
GYPSOPHYLLA paniculata. BABYSBREATH.	Each	Per 10	Per 100
2' White, June-July*repens. Creeping Gypsophylla. 4"	\$.25	\$2.00	\$16.00
White, June-July	.25	2.00	16.00
HELENIUM autumnale superba. Great Sneezeweep. 4' Yellow, Aug.—Sept.	.25	2.00	16.00
Riverton Gem. Bronze Sneezeweed. 3'	.25	2.00	16.00
HELIANTHEMUM. 18" SUNROSE. Pink, May-Sept—.	.35	2.50	29.00
HELIANTHUS fl. pl. 4'-5' Yellow, Aug Sept	.25	2.00	16.00
HELIOPSIS helianthoides pitcheriana. PIT- CHER HELIOPSIS. 3' Yellow, July-			=0.00
Sept	.25	2.00	16.00
Pot grown. Crimson. May-Sept sanguinea alba. White Arrowroot. 18"	.35	2.50	29.00
White, May-Sept	.35	2.50	29.00
HIBISCUS oeccliroseus. CRIMSON-EYE ROSE-MALLOW. 4' Aug.—Sept	.25	2.00	16.00
moscheutos. Rosemallow. 4' Aug.—Sept HOLLYHOCK. (See Althea).	.25	2.00	16.00
*IBERIS gibraltarica, GIBRALTAR CANDY-			
TUFT. I' Lilac, May-June* *sempervirens. Evergreen Candytuft.	.25	2.00	16.00
10" White, April-Maysempervirens. LITTLE GEM. 6" Ever-	.25	2.00	16.00
green leaves. White, April	.35	3.00	25.00
*IRIS pumila cyanea. DWARF IRIS. 8" Purple, May	.25	2.00	16.00
Dwarf Yellowgermanica. German Iris. 1½'-2½'	.25	2.00	16.00
germanica. GERMAN IRIS. 1½'-2½' Aurea—yellow. H. Cramer—	.25	2.00	16.00
Dr. Bernice—bronze. King—dark		i blue.	
Florentina—white. Landseer. General. Loreli—yello	. 117		
Granite Blue—light blue. Mme. Chere	auwh	ite penc	iled blue
Gracchus—pale yellow, suffused red. Mme. Pacqu	itte—ro win—w	sy clare	t. let base
Her Majesty—pink. Pallida Spec	iosa—d	eep lave	nder.
kaempferi. JAPANESE IRIS. 2'-2½' Blue Jay—pale blue. J. C. Vaugha	.35	2.50	20.00
Blue, Yellow Centre. Light Blue.	m-wiii	ic.	
Dark Maroon. Oyodo—darl	c purple		
Eclipse—double purple. Purple, Yello Frate—dbl. white, lilac centre. Red. White	Centre.	re.	
Frate—dbl. white, lifac centre.Red, White sibirica. Siberian Iris. 2' Purple, May-		9.00	10.00
sibirica alba. White Siberian lris. 2'	.25	2.00	16.00
White, May–June LATHYRUS latifolius. PERENNIAL PEA. 3'	.35	3.00	25.00
Pink, June-Aug	.20	1.80	15.00
*LINUM perenne. Blue Perennial Flax. 1' June-July	.25	2.00	16.00
LOBELIA cardinalis. CARDINALFLOWER. 2½' Scarlet, July-Aug	.25	2.00	16.00
syphilitica. LARGE BLUE LOBELIA. 2' Blue, Aug.—Sept	.25	2.00	16.00
siphilitica alba. White, AugSept	.25	2.00	16.00

	Each	Per 10	Per 100
LUPINUS arborus. LUPINE. 3' Yellow,			
June-July	\$.25	\$2.00	\$16.00
Blue, June-Julypolyphyllus albus. 3' White, June-Julypolyphyllus moerheimi. Rose Lupine. Pink,	.40 .40	$\frac{3.25}{3.25}$	$25.00 \\ 25.00$
June—July	.40	3.25	25.00
Scarlet, June-July	.25	2.00	16.00
wiscaria splendens florepleno. Double	.25	2.00	16.00
ROSEPINK CAMPION. I' Crimson, May-June	.35	2.50	20.00
2½' Pink, July-Aug	.35	2.50	20.00
MATRICARIA inedora. Scentless False- chamomile. 18" White, June-Sept	.25	2.00	16.00
MISCANTHUS sinensis. EULALIA. 2½'	.25	2.00	16.00
sinensis. Variegated Striped Eulalia.	.25	2.00	16.00
2½'	.20	2.00	10.00
2½' Rose red, June-Aug	.25	2.00	16.00
*MYOSOTIS scorpioides (palustris). True Forget-me-not. 10" Blue, May-Sept.	95	2.00	10.00
*nixenauge. 8" Pale blue. May-June	$.25 \\ .25$	$\frac{2.00}{2.00}$	$\frac{16.00}{16.00}$
*NIEREMBERGIA rivularis. WHITECUP. 4" White, June-Aug	.25	2.00	16.00
OENOTHERA youngi. Youngs Sundrops.	.25	2.00	16.00
2' Yellow, June-Augspeciosa. White Sundrops. 18" White,	.25	2.00	16.00
AugSept	.20	2.00	10.00
PACHYSANDRA terminalis. JAPANESE PACHYSANDRA. 8" Greenish white,			
May	.25	2.00	16.00
PAEONIA. PEONY	.75	6.50	50.00
Agida—red. Festiva Maxi	ima—w	hite.	
Albatree—white. Lady Dartmo Albert Crousse—rose white. La Tulipe—w		rhite.	
August d'Hour—dark red. Louise Van H	Ioutte-	-deep ro	se.
Canari—yellow. Mad. L. Calo	t-pinl	۲.	
Couron d'Or—white. Mad. Mouton Delachi—red. Magnifica—v			
Duc de Wellington—white. Marie Des H		—white.	
Duchesse de Nemours—whiteMarie Lemoi	ne_w	nite.	
Edouard Andre—Carmine. McMahon— Edulis Superba—pink. Meissonier—	rea. -purple	red	
Eugene Verdier—pink. Mme. de Ver	meville	—white.	
Faust—pink. Modest Guer			
Felix Crousse—red. Rose d'Amou Festiva Alba—white.	ır—pın	K.	
*PAPAVER nudicaule. ICELAND POPPY. 10"			40.00
White yellow, May-Aug papaver orientale. Oriental Poppy. 2½'	.25	2.00	16.00
Scarlet, July-Aug	.35	2.50	25.00
PENTSTEMON torreyi. Torrey Pentstemon. 3' Scarlet, June-Aug	.25	2.00	16.00
PHALARIS arundinacea. REED CANARY GRASS. 3'	.25	2.00	16.00

PHLOX arendsi. ARENDS PHLOX. Louise. I' Lilac, May-July		Fach	Por 10	Per 100
#Divaricata. B.UE PHLOX. 1' Lavender blue, May	PHLOX arendsi. ARENDS PHLOX.	Lacii	1 (1 10	1 61 100
Decussatta. GARDEN PHLOX. 11/2-2′ July—Sept. 35 2.75 25.00 Coquelicot. Brilliant Scarlet. 35 2.75 25.00 Deutschland. Bright orange-red. 35 2.75 25.00 Eclaireur. Violet-red, pink eye. 25 2.00 16.00 Elizabeth Campbell. Delicate Salmon-pink. 35 2.75 25.00 G. A. Strohlein. Orange-scarlet, darker eye. 35 2.75 25.00 General Von Heutz. Salmon-red. white centre. 25 2.00 16.00 Gruppenkonigin. Pale rose. darker cen. 25 2.00 16.00 Gruppenkonigin. Pale rose. darker cen. 25 2.00 16.00 Hindenberg. Intense Crimson. 35 2.75 25.00 16.00 Mrs. Jenkins. (Independence), white. 25 2.00 16.00 Queen. White, early. 25 2.00 16.00 Queen. White, early. 25 2.00 16.00 R. P. Struthers. Red, crimson eye. 25 2.00 16.00 Sunshine. Pink, darker eye. 25 2.00 16.00 Sunshine. Pink, darker eye. 25 2.00 16.00 Thor. Salmon-pink, crimson eye, large. 25 2.00 16.00 Wanadis. Lilac, purple eye. 35 2.50 2.00 16.00 wanadis. Lilac, purple eye. 35 2.00	Louise. I' Lilac, May-July	.25	\$2.00	\$16.00
Sept	blue, May	.25	2.00	16.00
Baron Von Heeckeren. Salmon-pink. 35 2.75 25.00	Decussatta. GARDEN PHLOX. 1½-2' July-			
Coquelicot. Brilliant Scarlet	Baron Von Heeckeren. Salmon-pink	.35	2.75	25.00
Eclaireur. Violet-red, pink eye	Coquelicot. Brilliant Scarlet	.35		25.00
Elizabeth Campbell. Delicate Salmonpink	Deutschland. Bright orange-red			
pink	Eclaireur. Violet-red, pink eye	.25	2.00	16.00
Fraulein Von Krupp. White dwarf	Elizabeth Campbell. Delicate Salmon-	95	0.75	25.00
G. A. Strohlein. Orange-scarlet, darker eye	Fraulain Von Krupp White dwarf			
General Von Heutz. Salmon-red. white centre	G. A. Strohlein. Orange-scarlet, darker	.20	2.00	10.00
Centre	eve	.35	2.75	25.00
Centre	General Von Heutz. Salmon-red. white			
Hindenberg. Intense Crimson	centre			
Jules Sandeau. Pure pink, dwarf				
La Vague. Mauve pink, red eye				
Mrs. Jenkins. (Independence), white.				
Queen. White, early				
R. P. Struthers. Red, crimson eye	Mrs. Jenkins. (Independence), white			
Rhynstroom. Deep pink	Queen. White, early			
Sunshine Pink, darker eye .25 2.00 16.00 Thor. Salmon-pink, crimson eye, large .25 2.00 16.00 Wanadis Lilac, purple eye .35 2.50 20.00 Widar Reddish violet, white centre .25 2.00 16.00 *ovata (carolina) Mountain Phlox 12" Rosy red, June-July .25 2.00 16.00 *subulata Moss Phlox 4" Pink, April-May .25 2.00 16.00 *subulata alba White Moss Phlox 4" White, April-May .25 2.00 16.00 *subulata G. F. Wilson Lavender Moss Phlox 4" Lavender blue, April-May .40 3.25 25.00 suffruticosa Miss Lingard Tall, vigorous White, pink eye .25 2.00 16.00 PLATYCODON grandiflorum Balloon Flower 18" Light blue, June-July .25 2.00 16.00 grandiflorum album White Balloon Flower 18" Light blue, June-July .25 2.00 16.00 PLUMBAGO (See Ceratostigma)				
Thor. Salmon-pink, crimson eye, large. 25 2.00 16.00 Wanadis. Lilac, purple eye. 35 2.50 20.00 Widar. Reddish violet, white centre. 25 2.00 16.00 *ovata (carolina). MOUNTAIN PHLOX. 12" Rosy red, June–July	Rhynstroom. Deep pink			
Wanadis. Lilac, purple eye	Sunsnine. Pink, darker eye			
Widar. Reddish violet, white centre				
*ovata (carolina). MOUNTAIN PHLOX. 12" Rosy red, June—July	Widen Deddie wielet white control			
Rosy red, June-July	*oveta (carolina) Moustaux Purox 12"	.23	2.00	10.00
subulata alba. White Moss Phlox. 4" White, April—May	Posy red Line-Lily	25	2.00	16.00
subulata alba. White Moss Phlox. 4" White, April—May	*cubulata Moss Phrov 4" Pink April	.20	2.00	10.00
*subulata alba. White Moss Phlox. 4" White, April-May	May	.25	2.00	16.00
White, April-May	*subulata alba. White Moss Phlox. 4"			
PHLOX. 4" Lavender blue, April-May suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye	White, April–May	.25	2.00	16.00
suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye	*subulata G. F. Wilson. LAVENDER Moss			
White, pink eye	Phlox. 4" Lavender blue, April-May	.40	3.25	25.00
PLATYCODON grandiflorum. BALLOON FLOWER. 18" Light blue, June–July25 2.00 16.00 grandiflorum album. White BALLOON- FLOWER. White, June–July25 2.00 16.00 mariesi. Maries BALLOONFLOWER. 12" Blue, June–July25 2.00 16.00 PLUMBAGO. (See Ceratostigma). POLEMONIUM caeruleum. Greek Vale- RIAN. 2' Blue, June–July25 2.00 16.00 *Richardsoni. Jacob's Ladder. 12" Sky blue, June–July25 2.00 16.00 *PRIMULA acaulis (vulgaris). English Prim- ROSE. 8" Lemon yellow, April–May25 2.00 16.00 *elatior. Onlip Primrose. 8" Various, April–May	suffruticosa. Miss Lingard. Tall, vigorous.	9.7	9.00	16.00
### FLOWER. 18" Light blue, June—July25		,20	2.00	10.00
grandiflorum album. WHITE BALLOON- FLOWER. White, June-July	PLATYCODON grandiflorum. BALLOON			
Mariesi Mariesi Balloonflower 12" Blue, June-July .25 2.00 16.00	FLOWER. 18" Light blue, June—July	.25	2.00	16.00
Mariesi Mariesi Balloonflower 12" Blue, June-July .25 2.00 16.00	grandiflorum album. WHITE BALLOON-	0.5	0.00	10.00
Blue, June–July	FLOWER. White, June–July	.25	2.00	10.00
PLUMBAGO. (See Ceratostigma). POLEMONIUM caeruleum. Greek Vale- RIAN. 2' Blue, June-July		25	2.00	16.00
POLEMONIUM caeruleum. Greek Vale- RIAN. 2' Blue, June-July		.20	2.00	10.00
*RIAN. 2′ Blue, June–July				
*Richardsoni. Jacob's Ladder. 12" Sky blue, June-July		0.5	0.00	10.00
*PRIMULA acaulis (vulgaris). English Primasse. 8" Lemon yellow, April-May25 2.00 16.00 *elatior. Onlip Primrose. 8" Various, April-May25 2.00 16.00 *veris. Cowslip Primrose. 6" Yellow, April-May25 2.00 16.00 PYRETHRUM hydridum. Painted Lady. 2' Double mixed. July-Aug25 2.00 16.00 RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept25 2.00 16.00	RIAN. 2' Blue, June-July	.25	2.00	16.00
*PRIMULA acaulis (vulgaris). ENGLISH PRIM- ROSE. 8" Lemon yellow, April-May25 2.00 16.00 *elatior. OxLIP PRIMROSE. 8" Various, April-May25 2.00 16.00 *veris. CowsLIP PRIMROSE. 6" Yellow, April-May25 2.00 16.00 PYRETHRUM hydridum. PAINTED LADY. 2' Double mixed. July-Aug25 2.00 16.00 RUDBECKIA laciniata. GOLDEN GLOW. 6' Yellow, Aug.—Sept25 2.00 16.00	hlue Tune-Tuly	25	2.00	16.00
ROSE. 8" Lemon yellow, April-May .25 2.00 16.00 *elatior. Oxlip Primrose. 8" Various, April-May .25 2.00 16.00 *veris. Cowslip Primrose. 6" Yellow, April-May .25 2.00 16.00 PYRETHRUM hydridum. Painted Lady .25 2.00 16.00 PYRETHRUM hydridum. Painted Lady .25 2.00 16.00 RUDBECKIA laciniata. Golden Glow .67 .25 2.00 16.00 Yellow, Aug.—Sept .25 2.00 16.00		.200	2.00	10.00
*elatior. Oxlip Primrose. 8" Various, April-May		25	2.00	16.00
April-May	*elation Over Primpose 8" Various	.20	2.00	10.00
*veris. Cowslip Primrose. 6" Yellow, April-May	April-May	.25	2.00	16.00
April-May	*veris. Cowslip Primrose. 6" Yellow,			
Double mixed. July-Aug. .25 2.00 16.00 RUDBECKIA laciniata. Golden Glow. 6' .25 2.00 16.00 Yellow. Aug.—Sept. .25 2.00 16.00	April-May	.25	2.00	16.00
Double mixed. July-Aug. .25 2.00 16.00 RUDBECKIA laciniata. Golden Glow. 6' .25 2.00 16.00 Yellow. Aug.—Sept. .25 2.00 16.00				
Yellow, Aug.—Sept	Double mixed. July-Aug	.25	2.00	16.00
Yellow, Aug.—Sept				
speciosa (newmanni). Showy Coneflower. 2' Pot grown. Yellow, July-Oct	Yellow, AugSept	.25	2.00	16.00
2' Pot grown. Yellow, July-Oct25 2.00 16.00	speciosa (newmanni). Showy Coneflower.	0.5	0.00	10.00
	2' Pot grown, Yellow, July-Oct	.25	2.00	16.00

	Eac	h Per 10	Per 100
SALVIA azuria. Azure Sage. 3' Sky blue, Aug.—Sept	.25	\$ 2.00	\$ 16.00
June-July	.25	2.00	16.00
*SEDUM acre. Goldmoss. 3" Yellow, May-	.25	2.00	16.00
June*album. White Stonecrop. 3" White,			16.00
May-Junedivergens. 6"* *kamtschaticum. Orange Stonecrop. 8"	.25 .35	$\frac{2.00}{2.50}$	$\frac{16.00}{20.00}$
*kamtschaticum. Orange Stonecrop. 8" Yellow, July-Aug *sarmentosum. Stringy Stonecrop. 2"	.25	2.00	16.00
*sarmentosum. Stringy Stonecrop. 2" Yellow, June-July	.25	2.00	16.00
Yellow, June-Julyspectabile. Showy Stonecrop. 18" Pink, AugSept.	.25	2.00	16.00
*stoloniferum. Running Stonecrop. 6" Pink, July-Aug	.25	2.00	16.00
*hispanicum. Spanish Stonecrop. 4"	.25	2.00	16.00
Pale pink, July	.35	2.50	20.00
STACHYS lanata. Woolly Betony. 18"	.55	2.50	20.00
Purple, June–July	.25	2.00	16.00
STOKESIA laevis. Blue Stokesia. 18" Blue, July-Oct	.25	2.00	16.00
laevis alba. White Stokesia. 18" White, July-Oct	.25	2.00	16.00
*THYMUS serphyllum splendens. FIREFLY	.25	2.00	16.00
THYME. 2" Red, June-July TRITOMA pfitzeriana. Bonfire Torchlily.	.40	2.00	10.00
2½' Red and orange, AugSept	.25	2.00	16.00
*TUNICA saxifraga. SAXIFRAGE TUNIC- FLOWER. 6" White, July-Aug	.25	2.00	16.00
VERONICA longifolia subsessilis. CLUMP			
SPEEDWELL. 2' Violet-blue. Aug.—Sept* *repens. Creeping Speedwell. 2'' Blue,	.35	2.50	20.00
*repens. Creeping Speedwell. 2" Blue, May *rupestris. Rock Speedwell Pink. 4"	.25	2.00	16.00
*rupestris. Rock Speedwell Pink. 4" Pink, May-June spicata. Spike Speedwell. 18" Blue,	.35	2.50	20.00
spicata. Spike Speedwell. 18" Blue, June-July	.35	2.50	20.00

Fruit Trees and Bush Fruits

APPLES AND CRAB APPLES 1 in. and up
SUMMER Early Harvest Early Strawberry Gravenstein Red Astrachan Williams E. Red Wellthy Yel. Transparent Voltage Volta
CRAB APPLES—Hyslop, Red Siberian, Transcendent. APPLES—Dwarf 5/8 in to 3/4 in
PEARS—Standard 1 in, and up. XX 2.00 ½ in, to 1 in. X 1.50 11-16th in, to ½ in. A 1.00 Med. grade, ½ in, to 11-16th in. M .75 Bartlett Duchess Seckel Beurre Bosc Flemish Beauty Sheldon Beurre d'Anjou Kieffer Vermont Beauty Clapp's Favorite Lawrence
PEARS—Dwarf First grade, 5% in. and up
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
CHERRIES—Sweet 1½ in. and up XXX \$2.50 1 in. to 1½ in XX 2.00 ½ in. to 1 in X 1.50 11-16th in. to ½ in A 1.25 ½ in. to 11-16th in B 1.00 Black Tartarian, Downer's Late Red, Gov. Wood, Napoleon, Schmidt's Biggareau, Yellow Spanish.
PLUMS— 1 in. and up. XX 2.00 ½ in. to 1 in. X 1.50 11-16th in. to ½ in. A 1.00 Abundance, Bradshaw, Burbank, Imperial, Yellow Egg, German Prune. Shropshire Damson,

PEACHES—		D 10
¾ in. and up, 5 to 7 ft. XX ½ in. to ¾ in., 4 to 6 ft. X 9-16th in. to ½ in., 4 to 5 ft. A 7-16th in. to 9-16 inth., 3 to 5 ft. M 5-16th in. to 7-16th in., 3 to 4 ft. B F. indicates Freestone.	Each 1.00 .75 .50 .40 .30	Per 10 \$9.00 6.50 4.50 3.50 2.50
EARLY MID-SEASON		LATE
Carman, F., White Champion F., White Early Crawford F., Yel. Fitzgerlad F., Yellow Hiley F., White Mountain Rose F., Wh. Ray F., White Miss Lolo F., White	Fox	nmel October F., Yellow Seedling F., White
QUINCE'S—		
¾ in., 4 to 5 ft. X ½ in., 3 to 4 ft. A ½ in., 2½ to 3 ft. M Champion, Orange. M	1.50 1.25 1.00	
NUTS-		
Butternut—2 to 3 ft	$1.00 \\ 1.25 \\ 1.50$	
Hickory—Shellbark		
3 to 4 ft	$\frac{2.00}{2.50}$	
Walnut—Black 2 to 3 ft	1.50 2.00 2.50	
Japan—3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.50 2.00 2.50	
GRAPES— Agawam, red Brighton, black Campbell's Early, black Catawba, red Champion, black Clinton, black Clinton, black Concord, black Delaware, red Moore's Early, black Moore's Diamond, white Niagara, white Worden, black	Each .35	
CURRANTS— Cherry Fay's Prolific Lee's Black Perfection White Grape 2 yr.	\$ 25	3.00
GOOSEBERRIES— Downing Houghton Joselyn Red Jacket	\$.35 .50	5.00

RASPBERRY-Cuthbert, Kansas, Columbian,		Per 10	Per100
St. Regis (everbearing)		\$1.00	\$8.00
BLACKBERRIES—Blower's, Erie, Rathbun		1.00	8.00
STRAWBERRIES		1.00	6.00
ASPARAGUS—2 yr		.50	3.00
RHUBARB	.25	2.00	15.00

Humus

The productiveness of the soil depends on its fertility. Humus is a fertility maker. Without it there would be no plant life. It is one of the most important soil constituents. It is the chief source of nitrogenous food for plants. It helps a sandy soil by greatly increasing its water holding capacity. It makes a clay soil more granular and lessens its tendency to bake. The use of Humus means an increased yield of vegetables, better flowers, shrubs, trees and lawns.

Rhododendron—Kalmia—Wildings

The use of Humus, in the proper quantity, will insure success with Rhododendrons, Kalmia, Ferns and Wild Flowers because it reproduces the soil conditions in which they are found growing wild. In addition, if a suitable mulch of Humus is used, it will keep the roots moist during the extreme heat of summer, and a strong, healthy growth will be assured.

Cultural directions will be sent upon request.

Prices

\$5.00 for five 100-lb. bags; \$18.00 per ton, f. o. b. Stanhope, N. J.

A great saving may be effected in purchasing humus in bulk, in carloads of 30 to 35 tons, owing to the saving in bags and labor of handling and the fact that the freight is much less on bulk humus. Price quoted upon application.



